

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY051925\
 Data File : VY022314.D
 Acq On : 19 May 2025 13:25
 Operator : SY/MD
 Sample : Q2003-02RE
 Misc : 5.78g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VOCRE

Quant Time: May 20 01:13:17 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y051525S.M
 Quant Title : SW846 8260
 QLast Update : Fri May 16 01:42:09 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	67832	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.609	114	100499	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	65229	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	20342	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	25881	34.911	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	69.820%
35) Dibromofluoromethane	7.634	113	27560	45.946	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	91.900%
50) Toluene-d8	10.103	98	112033	45.604	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	91.200%
62) 4-Bromofluorobenzene	12.407	95	22919	29.433	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	58.860%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY051925\
Data File : VY022314.D
Acq On : 19 May 2025 13:25
Operator : SY/MD
Sample : Q2003-02RE
Misc : 5.78g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VOCRE

Quant Time: May 20 01:13:17 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y051525S.M
Quant Title : SW846 8260
QLast Update : Fri May 16 01:42:09 2025
Response via : Initial Calibration

