

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY052125\
 Data File : VY022369.D
 Acq On : 21 May 2025 15:55
 Operator : SY/MD
 Sample : Q2095-03
 Misc : 4.64g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 WCS-TP1-VOC

Quant Time: May 22 00:12:02 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y051525S.M
 Quant Title : SW846 8260
 QLast Update : Fri May 16 01:42:09 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	7.719	168	245015	50.000	ug/l	0.01
34) 1,4-Difluorobenzene	8.622	114	437614	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	349699	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.353	152	134202	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.073	65	125708	46.945	ug/l	0.01
Spiked Amount	50.000	Range	50 - 163	Recovery	=	93.880%
35) Dibromofluoromethane	7.646	113	130022	49.780	ug/l	0.01
Spiked Amount	50.000	Range	54 - 147	Recovery	=	99.560%
50) Toluene-d8	10.115	98	521620	48.762	ug/l	0.01
Spiked Amount	50.000	Range	58 - 134	Recovery	=	97.520%
62) 4-Bromofluorobenzene	12.414	95	134937	39.796	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	79.600%
Target Compounds						
					Qvalue	
31) Cyclohexane	7.719	56	6240	1.152	ug/l #	7
36) 1,1-Dichloropropene	7.719	75	20772	4.828	ug/l #	51
38) Carbon Tetrachloride	7.713	117	24443	5.489	ug/l #	16
76) 1,2,3-Trichloropropane	12.408	75	77607	57.080	ug/l #	100
81) trans-1,4-Dichloro-2-b...	12.408	75	77607	115.631	ug/l #	12


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY052125\
Data File : VY022369.D
Acq On : 21 May 2025 15:55
Operator : SY/MD
Sample : Q2095-03
Misc : 4.64g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
WCS-TP1-VOC

Quant Time: May 22 00:12:02 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y051525S.M
Quant Title : SW846 8260
QLast Update : Fri May 16 01:42:09 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.719 min Scan# 984
Delta R.T. 0.012 min
Lab File: VY022369.D
Acq: 21 May 2025 15:55




Instrument :
MSVOA_Y
ClientSampleId :
WCS-TP1-VOC


Tgt Ion:168 Resp: 245015
Ion Ratio Lower Upper
168 100
99 55.3 44.2 66.4



#31
Cyclohexane
Concen: 1.152 ug/l
RT: 7.719 min Scan# 984
Delta R.T. 0.018 min
Lab File: VY022369.D
Acq: 21 May 2025 15:55

Tgt Ion: 56 Resp: 6240
Ion Ratio Lower Upper
56 100
69 131.0 27.4 41.2#
84 147.0 70.0 105.0#





#33

1,2-Dichloroethane-d4

Concen: 46.945 ug/l

RT: 8.073 min Scan# 110

Delta R.T. 0.012 min

Lab File: VY022369.D

Acq: 21 May 2025 15:55

Instrument :

MSVOA_Y

ClientSampleId :





WCS-TP1-VOC

Tgt Ion: 65 Resp: 125708

Ion Ratio Lower Upper

65 100

67 52.0 0.0 104.6



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.622 min Scan# 1132

Delta R.T. 0.006 min

Lab File: VY022369.D

Acq: 21 May 2025 15:55




Tgt Ion: 114 Resp: 437614


Ion Ratio Lower Upper

114 100

63 19.7 0.0 41.0

88 14.2 0.0 29.4





#35

Dibromofluoromethane

Concen: 49.780 ug/l

RT: 7.646 min Scan# 91

Delta R.T. 0.012 min

Lab File: VY022369.D

Acq: 21 May 2025 15:55

Instrument :

MSVOA_Y

ClientSampleId :

WCS-TP1-VOC





Tgt Ion:113 Resp: 130022

Ion Ratio Lower Upper

113 100

111 101.8 82.6 123.8

192 18.3 15.2 22.8



#36

1,1-Dichloropropene

Concen: 4.828 ug/l

RT: 7.719 min Scan# 984

Delta R.T. -0.116 min

Lab File: VY022369.D

Acq: 21 May 2025 15:55




Tgt Ion: 75 Resp: 20772


Ion Ratio Lower Upper

75 100

110 8.9 16.6 49.8#

77 0.0 24.6 37.0#









#38
Carbon Tetrachloride
Concen: 5.489 ug/l
RT: 7.713 min Scan# 91
Delta R.T. -0.104 min
Lab File: VY022369.D
Acq: 21 May 2025 15:55




Instrument :
MSVOA_Y
ClientSampleId :
WCS-TP1-VOC


Tgt Ion:117 Resp: 24443
Ion Ratio Lower Upper
117 100
119 4.1 75.3 112.9#
121 0.0 24.7 37.1#



#50
Toluene-d8
Concen: 48.762 ug/l
RT: 10.115 min Scan# 1377
Delta R.T. 0.012 min
Lab File: VY022369.D
Acq: 21 May 2025 15:55

Tgt Ion: 98 Resp: 521620
Ion Ratio Lower Upper
98 100
100 64.0 51.8 77.8









#62
4-Bromofluorobenzene
Concen: 39.796 ug/l
RT: 12.414 min Scan# 11
Delta R.T. 0.006 min
Lab File: VY022369.D
Acq: 21 May 2025 15:55




Instrument :
MSVOA_Y
ClientSampleId :
WCS-TP1-VOC


Tgt Ion: 95 Resp: 134937
Ion Ratio Lower Upper
95 100
174 85.9 0.0 166.8
176 84.5 0.0 160.8



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.420 min Scan# 1591
Delta R.T. 0.006 min
Lab File: VY022369.D
Acq: 21 May 2025 15:55

Tgt Ion: 117 Resp: 349699
Ion Ratio Lower Upper
117 100
82 57.4 46.6 70.0
119 32.3 25.8 38.6





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.353 min Scan# 1907

Delta R.T. 0.006 min

Lab File: VY022369.D

Acq: 21 May 2025 15:55

Instrument :

MSVOA_Y

ClientSampleId :

WCS-TP1-VOC





Tgt Ion:152 Resp: 134202

Ion Ratio Lower Upper

152 100

115 57.4 29.4 88.2

150 158.2 0.0 353.8



#76

1,2,3-Trichloropropane

Concen: 57.080 ug/l

RT: 12.408 min Scan# 1753

Delta R.T. -0.146 min

Lab File: VY022369.D




Acq: 21 May 2025 15:55


Tgt Ion: 75 Resp: 77607

Ion Ratio Lower Upper

75 100


77 1.5 0.0 0.0#





#81
 trans-1,4-Dichloro-2-butene
 Concen: 115.631 ug/l
 RT: 12.408 min Scan# 11
 Delta R.T. 0.104 min
 Lab File: VY022369.D
 Acq: 21 May 2025 15:55

Instrument :
 MSVOA_Y
 ClientSampleId :
 WCS-TP1-VOC



Tgt Ion	Ratio	Lower	Upper
75	100		
53	0.0	75.8	113.8#
89	0.1	36.2	54.2#

