

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY052725\
 Data File : VY022427.D
 Acq On : 27 May 2025 11:20
 Operator : SY/MD
 Sample : VIBLK
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VIBLK

Quant Time: May 28 10:53:04 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y052725S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 28 10:34:06 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	355558	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.622	114	628065	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	485021	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	169137	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	178857	47.757	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	95.520%
35) Dibromofluoromethane	7.640	113	184376	50.128	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.260%
50) Toluene-d8	10.109	98	742004	49.486	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	98.980%
62) 4-Bromofluorobenzene	12.408	95	179853	39.655	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	79.300%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY052725\
Data File : VY022427.D
Acq On : 27 May 2025 11:20
Operator : SY/MD
Sample : VIBLK
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VIBLK

Quant Time: May 28 10:53:04 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y052725S.M
Quant Title : SW846 8260
QLast Update : Wed May 28 10:34:06 2025
Response via : Initial Calibration

