

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY052825\
 Data File : VY022441.D
 Acq On : 28 May 2025 09:55
 Operator : SY/MD
 Sample : VY0528SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0528SBL01

Quant Time: May 29 01:51:23 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y052725S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 28 10:34:06 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	328093	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	588956	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	468410	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	164648	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	183828	53.194	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	106.380%
35) Dibromofluoromethane	7.634	113	177713	51.524	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	103.040%
50) Toluene-d8	10.109	98	704513	50.106	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	100.220%
62) 4-Bromofluorobenzene	12.408	95	176928	41.600	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	83.200%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY052825\
Data File : VY022441.D
Acq On : 28 May 2025 09:55
Operator : SY/MD
Sample : VY0528SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0528SBL01

Quant Time: May 29 01:51:23 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y052725S.M
Quant Title : SW846 8260
QLast Update : Wed May 28 10:34:06 2025
Response via : Initial Calibration

