

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY053025\
 Data File : VY022483.D
 Acq On : 30 May 2025 17:02
 Operator : SY/MD
 Sample : Q2173-14
 Misc : 5.09g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OR-400-CF-402B-VOC-25

Quant Time: May 31 02:30:40 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y052725S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 28 10:34:06 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	270990	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	493166	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	396423	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	145554	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	156254	54.742	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	109.480%
35) Dibromofluoromethane	7.634	113	148102	51.280	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	102.560%
50) Toluene-d8	10.103	98	591788	50.264	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	100.520%
62) 4-Bromofluorobenzene	12.402	95	151727	42.604	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	85.200%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY053025\
Data File : VY022483.D
Acq On : 30 May 2025 17:02
Operator : SY/MD
Sample : Q2173-14
Misc : 5.09g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OR-400-CF-402B-VOC-25

Quant Time: May 31 02:30:40 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y052725S.M
Quant Title : SW846 8260
QLast Update : Wed May 28 10:34:06 2025
Response via : Initial Calibration

