

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060324\
 Data File : VY018447.D
 Acq On : 03 Jun 2024 17:54
 Operator : SY/MD
 Sample : P2687-04
 Misc : 2.08g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 72-11977

Quant Time: Jun 04 05:43:19 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060324S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 04 05:38:21 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.776	168	70927	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	141103	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.483	117	128204	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	47252	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.130	65	43331	31.109	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	62.220%
35) Dibromofluoromethane	7.709	113	43203	24.145	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	48.300%#
50) Toluene-d8	10.172	98	171730	24.125	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	48.260%#
62) 4-Bromofluorobenzene	12.477	95	49914	22.521	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	45.040%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060324\
Data File : VY018447.D
Acq On : 03 Jun 2024 17:54
Operator : SY/MD
Sample : P2687-04
Misc : 2.08g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
72-11977


Quant Time: Jun 04 05:43:19 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060324S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 04 05:38:21 2024
Response via : Initial Calibration








#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.776 min Scan# 91
Delta R.T. -0.007 min
Lab File: VY018447.D
Acq: 03 Jun 2024 17:54

Instrument :
MSVOA_Y
ClientSampleId :
72-11977







Tgt Ion:168 Resp: 70927
Ion Ratio Lower Upper
168 100
99 56.3 39.1 58.7



#33
1,2-Dichloroethane-d4
Concen: 31.109 ug/l
RT: 8.130 min Scan# 1035
Delta R.T. -0.006 min
Lab File: VY018447.D
Acq: 03 Jun 2024 17:54

Tgt Ion: 65 Resp: 43331
Ion Ratio Lower Upper
65 100
67 53.7 0.0 109.6





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.685 min Scan# 1126

Delta R.T. -0.000 min

Lab File: VY018447.D

Acq: 03 Jun 2024 17:54

Instrument :

MSVOA_Y

ClientSampleId :

72-11977





Tgt Ion:114 Resp: 141103

Ion Ratio Lower Upper

114 100

63 18.9 0.0 35.0

88 14.2 0.0 27.2



#35

Dibromofluoromethane

Concen: 24.145 ug/l

RT: 7.709 min Scan# 966

Delta R.T. 0.006 min

Lab File: VY018447.D

Acq: 03 Jun 2024 17:54




Tgt Ion:113 Resp: 43203


Ion Ratio Lower Upper

113 100

111 100.8 82.2 123.4

192 16.1 15.9 23.9









#50
Toluene-d8
Concen: 24.125 ug/l
RT: 10.172 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY018447.D
Acq: 03 Jun 2024 17:54




Instrument :
MSVOA_Y
ClientSampleId :
72-11977


Tgt Ion: 98 Resp: 171730
Ion Ratio Lower Upper
98 100
100 65.2 52.0 78.0



#62
4-Bromofluorobenzene
Concen: 22.521 ug/l
RT: 12.477 min Scan# 1748
Delta R.T. -0.000 min
Lab File: VY018447.D
Acq: 03 Jun 2024 17:54

Tgt Ion: 95 Resp: 49914
Ion Ratio Lower Upper
95 100
174 75.7 0.0 175.6
176 76.6 0.0 171.4





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.483 min Scan# 11

Delta R.T. -0.006 min

Lab File: VY018447.D

Acq: 03 Jun 2024 17:54

Instrument :

MSVOA_Y

ClientSampleId :

72-11977





Tgt Ion:117 Resp: 128204

Ion Ratio Lower Upper

117 100

82 55.6 42.4 63.6

119 31.5 25.9 38.9



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.422 min Scan# 1903

Delta R.T. -0.000 min

Lab File: VY018447.D

Acq: 03 Jun 2024 17:54

Tgt Ion:152 Resp: 47252

Ion Ratio Lower Upper

152 100

115 61.5 28.2 84.7

150 159.9 0.0 345.6

