

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060325\
 Data File : VY022512.D
 Acq On : 03 Jun 2025 10:40
 Operator : SY/MD
 Sample : VY0603SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0603SBL01

Quant Time: Jun 04 04:08:54 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 03 03:22:04 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	287398	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	534399	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	428748	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	155262	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	171949	53.494	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	106.980%
35) Dibromofluoromethane	7.640	113	162497	50.944	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	101.880%
50) Toluene-d8	10.109	98	643614	49.937	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	99.880%
62) 4-Bromofluorobenzene	12.408	95	161263	41.994	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	83.980%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060325\
Data File : VY022512.D
Acq On : 03 Jun 2025 10:40
Operator : SY/MD
Sample : VY0603SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0603SBL01

Quant Time: Jun 04 04:08:54 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 03 03:22:04 2025
Response via : Initial Calibration

