

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060325\
 Data File : VY022527.D
 Acq On : 03 Jun 2025 16:58
 Operator : SY/MD
 Sample : Q2176-02
 Misc : 5.90g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-56

Quant Time: Jun 04 04:15:25 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 03 03:22:04 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	259331	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.610	114	475112	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	372480	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	129377	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	143439	49.454	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	98.900%
35) Dibromofluoromethane	7.634	113	143691	50.670	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	101.340%
50) Toluene-d8	10.103	98	564005	49.221	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	98.440%
62) 4-Bromofluorobenzene	12.402	95	137531	40.283	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	80.560%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060325\
Data File : VY022527.D
Acq On : 03 Jun 2025 16:58
Operator : SY/MD
Sample : Q2176-02
Misc : 5.90g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-56

Quant Time: Jun 04 04:15:25 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 03 03:22:04 2025
Response via : Initial Calibration

