

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060325\
 Data File : VY022511.D
 Acq On : 03 Jun 2025 10:03
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 04 04:08:01 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 03 03:22:04 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	89	0.00
2 T	Dichlorodifluoromethane	0.448	0.404	9.8	88	0.00
3 P	Chloromethane	1.322	1.316	0.5	96	0.00
4 C	Vinyl Chloride	1.534	1.560	-1.7#	93	0.00
5 T	Bromomethane	1.470	1.393	5.2	100	0.00
6 T	Chloroethane	1.053	1.102	-4.7	102	0.00
7 T	Trichlorofluoromethane	1.302	1.272	2.3	93	0.00
8 T	Diethyl Ether	0.293	0.296	-1.0	91	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.549	0.523	4.7	87	0.00
10 T	Methyl Iodide	0.594	0.619	-4.2	86	0.00
11 T	Tert butyl alcohol	0.040	0.040	0.0	91	0.00
12 CM	1,1-Dichloroethene	0.524	0.513	2.1#	89	0.00
13 T	Acrolein	0.050	0.047	6.0	88	0.00
14 T	Allyl chloride	0.823	0.823	0.0	91	0.00
15 T	Acrylonitrile	0.124	0.126	-1.6	90	0.00
16 T	Acetone	0.114	0.097	14.9	75	0.00
17 T	Carbon Disulfide	1.679	1.680	-0.1	90	0.00
18 T	Methyl Acetate	0.336	0.372	-10.7	100	0.00
19 T	Methyl tert-butyl Ether	1.477	1.494	-1.2	91	0.00
20 T	Methylene Chloride	0.645	0.579	10.2	90	0.00
21 T	trans-1,2-Dichloroethene	0.587	0.598	-1.9	94	0.00
22 T	Diisopropyl ether	1.832	1.850	-1.0	91	0.00
23 T	Vinyl Acetate	1.084	1.086	-0.2	90	0.00
24 P	1,1-Dichloroethane	1.079	1.105	-2.4	93	0.00
25 T	2-Butanone	0.164	0.160	2.4	85	0.00
26 T	2,2-Dichloropropane	0.954	0.956	-0.2	90	0.00
27 T	cis-1,2-Dichloroethene	0.678	0.701	-3.4	92	0.00
28 T	Bromochloromethane	0.471	0.559	-18.7	110	0.00
29 T	Tetrahydrofuran	0.106	0.107	-0.9	91	0.00
30 C	Chloroform	1.069	1.105	-3.4#	93	0.00
31 T	Cyclohexane	1.075	0.985	8.4	87	0.00
32 T	1,1,1-Trichloroethane	0.949	0.968	-2.0	91	0.00
33 S	1,2-Dichloroethane-d4	0.559	0.576	-3.0	87	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	93	0.00
35 S	Dibromofluoromethane	0.298	0.300	-0.7	87	0.00
36 T	1,1-Dichloropropene	0.484	0.471	2.7	90	0.00
37 T	Ethyl Acetate	0.216	0.213	1.4	86	0.00
38 T	Carbon Tetrachloride	0.497	0.487	2.0	89	0.00
39 T	Methylcyclohexane	0.651	0.616	5.4	87	0.00
40 TM	Benzene	1.431	1.436	-0.3	92	0.00
41 T	Methacrylonitrile	0.126	0.127	-0.8	94	0.00
42 TM	1,2-Dichloroethane	0.391	0.395	-1.0	94	0.00
43 T	Isopropyl Acetate	0.467	0.462	1.1	90	0.00
44 TM	Trichloroethene	0.350	0.343	2.0	89	0.00
45 C	1,2-Dichloropropane	0.338	0.343	-1.5#	93	0.00
46 T	Dibromomethane	0.190	0.192	-1.1	92	0.00
47 T	Bromodichloromethane	0.482	0.494	-2.5	93	0.00
48 T	Methyl methacrylate	0.219	0.223	-1.8	93	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060325\
 Data File : VY022511.D
 Acq On : 03 Jun 2025 10:03
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 04 04:08:01 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 03 03:22:04 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	90	0.00
50 S	Toluene-d8	1.206	1.224	-1.5	89	0.00
51 T	4-Methyl-2-Pentanone	0.233	0.236	-1.3	90	0.00
52 CM	Toluene	0.899	0.901	-0.2#	92	0.00
53 T	t-1,3-Dichloropropene	0.452	0.460	-1.8	92	0.00
54 T	cis-1,3-Dichloropropene	0.526	0.531	-1.0	92	0.00
55 T	1,1,2-Trichloroethane	0.243	0.243	0.0	93	0.00
56 T	Ethyl methacrylate	0.351	0.352	-0.3	90	0.00
57 T	1,3-Dichloropropane	0.430	0.429	0.2	91	0.00
58 T	2-Chloroethyl Vinyl ether	0.159	0.172	-8.2	100	0.00
59 T	2-Hexanone	0.156	0.155	0.6	89	0.00
60 T	Dibromochloromethane	0.308	0.312	-1.3	92	0.00
61 T	1,2-Dibromoethane	0.221	0.225	-1.8	94	0.00
62 S	4-Bromofluorobenzene	0.359	0.354	1.4	88	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	93	0.00
64 T	Tetrachloroethene	0.430	0.422	1.9	90	0.00
65 PM	Chlorobenzene	1.106	1.118	-1.1	93	0.00
66 T	1,1,1,2-Tetrachloroethane	0.373	0.369	1.1	90	0.00
67 C	Ethyl Benzene	2.052	2.059	-0.3#	92	0.00
68 T	m/p-Xylenes	0.778	0.765	1.7	90	0.00
69 T	o-Xylene	0.729	0.713	2.2	90	0.00
70 T	Styrene	1.206	1.220	-1.2	92	0.00
71 P	Bromoform	0.198	0.195	1.5	90	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	93	0.00
73 T	Isopropylbenzene	4.105	4.015	2.2	91	0.00
74 T	N-amyl acetate	1.036	1.030	0.6	90	0.00
75 P	1,1,2,2-Tetrachloroethane	0.674	0.669	0.7	92	0.00
76 T	1,2,3-Trichloropropane	0.572	0.640	-11.9	95	0.00
77 T	Bromobenzene	0.866	0.862	0.5	93	0.00
78 T	n-propylbenzene	5.014	4.920	1.9	91	0.00
79 T	2-Chlorotoluene	2.657	2.614	1.6	91	0.00
80 T	1,3,5-Trimethylbenzene	3.223	3.192	1.0	91	0.00
81 T	trans-1,4-Dichloro-2-butene	0.237	0.234	1.3	93	0.00
82 T	4-Chlorotoluene	2.741	2.634	3.9	89	0.00
83 T	tert-Butylbenzene	2.893	2.852	1.4	92	0.00
84 T	1,2,4-Trimethylbenzene	3.223	3.204	0.6	93	0.00
85 T	sec-Butylbenzene	4.430	4.352	1.8	91	0.00
86 T	p-Isopropyltoluene	3.652	3.565	2.4	91	0.00
87 T	1,3-Dichlorobenzene	1.755	1.733	1.3	93	0.00
88 T	1,4-Dichlorobenzene	1.702	1.659	2.5	91	0.00
89 T	n-Butylbenzene	3.464	3.470	-0.2	92	0.00
90 T	Hexachloroethane	0.711	0.704	1.0	92	0.00
91 T	1,2-Dichlorobenzene	1.490	1.467	1.5	91	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.098	0.103	-5.1	92	0.00
93 T	1,2,4-Trichlorobenzene	0.813	0.835	-2.7	95	0.00
94 T	Hexachlorobutadiene	0.449	0.432	3.8	90	0.00
95 T	Naphthalene	1.560	1.609	-3.1	93	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060325\
Data File : VY022511.D
Acq On : 03 Jun 2025 10:03
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Jun 04 04:08:01 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 03 03:22:04 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.697	0.701	-0.6	94	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6