

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060425\
 Data File : VY022549.D
 Acq On : 04 Jun 2025 14:37
 Operator : SY/MD
 Sample : Q2199-02
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 ETGI-343

Quant Time: Jun 05 04:16:03 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 03 03:22:04 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	78925	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	131750	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	94714	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	31572	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	41897	47.463	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	94.920%
35) Dibromofluoromethane	7.634	113	39071	49.684	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	99.360%
50) Toluene-d8	10.103	98	147103	46.295	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	92.580%
62) 4-Bromofluorobenzene	12.402	95	34017	35.931	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	71.860%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060425\
Data File : VY022549.D
Acq On : 04 Jun 2025 14:37
Operator : SY/MD
Sample : Q2199-02
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
ETGI-343

Quant Time: Jun 05 04:16:03 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 03 03:22:04 2025
Response via : Initial Calibration

