

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060525\
 Data File : VY022566.D
 Acq On : 05 Jun 2025 11:59
 Operator : SY/MD
 Sample : Q2194-03
 Misc : 6.38g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 COMP-13

Quant Time: Jun 06 01:22:46 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 03 03:22:04 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	247001	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.610	114	450574	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	364195	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	134019	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	137113	49.632	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	99.260%
35) Dibromofluoromethane	7.628	113	134423	49.983	ug/l	-0.01
Spiked Amount	50.000	Range	54 - 147	Recovery	=	99.960%
50) Toluene-d8	10.103	98	546591	50.299	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	100.600%
62) 4-Bromofluorobenzene	12.402	95	136630	42.199	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	84.400%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060525\
Data File : VY022566.D
Acq On : 05 Jun 2025 11:59
Operator : SY/MD
Sample : Q2194-03
Misc : 6.38g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
COMP-13

Quant Time: Jun 06 01:22:46 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 03 03:22:04 2025
Response via : Initial Calibration

