

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060925\
 Data File : VY022618.D
 Acq On : 09 Jun 2025 10:29
 Operator : SY/MD
 Sample : Q2238-01
 Misc : 4.86g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 0528

Quant Time: Jun 10 01:25:58 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 03 03:22:04 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	307728	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.622	114	557346	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	427587	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.353	152	131711	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	167755	48.741	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	97.480%
35) Dibromofluoromethane	7.640	113	167476	50.343	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.680%
50) Toluene-d8	10.109	98	669385	49.798	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	99.600%
62) 4-Bromofluorobenzene	12.408	95	149078	37.223	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	74.440%
Target Compounds						
					Qvalue	
95) Naphthalene	15.145	128	64846	15.784	ug/l	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060925\
Data File : VY022618.D
Acq On : 09 Jun 2025 10:29
Operator : SY/MD
Sample : Q2238-01
Misc : 4.86g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
0528

Quant Time: Jun 10 01:25:58 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 03 03:22:04 2025
Response via : Initial Calibration

