

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060925\
 Data File : VY022620.D
 Acq On : 09 Jun 2025 11:16
 Operator : SY/MD
 Sample : Q2206-03
 Misc : 4.27g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-1-VOC

Quant Time: Jun 10 01:26:39 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 03 03:22:04 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	299872	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	556479	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	441579	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	160950	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	156365	46.622	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	93.240%
35) Dibromofluoromethane	7.634	113	165860	49.935	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	99.880%
50) Toluene-d8	10.109	98	674717	50.273	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	100.540%
62) 4-Bromofluorobenzene	12.408	95	164058	41.027	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	82.060%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060925\
Data File : VY022620.D
Acq On : 09 Jun 2025 11:16
Operator : SY/MD
Sample : Q2206-03
Misc : 4.27g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-1-VOC

Quant Time: Jun 10 01:26:39 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 03 03:22:04 2025
Response via : Initial Calibration

