

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060925\
 Data File : VY022624.D
 Acq On : 09 Jun 2025 12:49
 Operator : SY/MD
 Sample : Q2223-01
 Misc : 4.50g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 HR-01-06042025

Quant Time: Jun 10 01:28:04 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 03 03:22:04 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	213093	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	385481	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	302626	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	106626	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	113395	47.578	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	95.160%
35) Dibromofluoromethane	7.640	113	116189	50.498	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	101.000%
50) Toluene-d8	10.109	98	458692	49.338	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	98.680%
62) 4-Bromofluorobenzene	12.402	95	109498	39.530	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	79.060%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060925\
Data File : VY022624.D
Acq On : 09 Jun 2025 12:49
Operator : SY/MD
Sample : Q2223-01
Misc : 4.50g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
HR-01-06042025

Quant Time: Jun 10 01:28:04 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 03 03:22:04 2025
Response via : Initial Calibration

