

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061025\
 Data File : VY022648.D
 Acq On : 10 Jun 2025 14:19
 Operator : SY/MD
 Sample : Q2259-03
 Misc : 5.73g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OU4-PCS-TC-37-060525

Quant Time: Jun 11 01:51:46 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 10 15:26:14 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	169467	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	331619	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	277760	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	99853	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	108220	57.096	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	114.200%
35) Dibromofluoromethane	7.634	113	103329	52.203	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	104.400%
50) Toluene-d8	10.109	98	406749	50.857	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	101.720%
62) 4-Bromofluorobenzene	12.408	95	103440	43.408	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	86.820%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061025\
Data File : VY022648.D
Acq On : 10 Jun 2025 14:19
Operator : SY/MD
Sample : Q2259-03
Misc : 5.73g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OU4-PCS-TC-37-060525

Quant Time: Jun 11 01:51:46 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 10 15:26:14 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.713 min Scan# 91
Delta R.T. 0.000 min
Lab File: VY022648.D
Acq: 10 Jun 2025 14:19




Instrument :
MSVOA_Y
ClientSampleId :
OU4-PCS-TC-37-060525


Tgt Ion:168 Resp: 169467
Ion Ratio Lower Upper
168 100
99 54.1 44.3 66.5



#33
1,2-Dichloroethane-d4
Concen: 57.096 ug/l
RT: 8.061 min Scan# 1040
Delta R.T. -0.006 min
Lab File: VY022648.D
Acq: 10 Jun 2025 14:19

Tgt Ion: 65 Resp: 108220
Ion Ratio Lower Upper
65 100
67 52.0 0.0 103.4









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.616 min Scan# 1131
Delta R.T. -0.000 min
Lab File: VY022648.D
Acq: 10 Jun 2025 14:19




Instrument :
MSVOA_Y
ClientSampleId :
OU4-PCS-TC-37-060525


Tgt Ion:114 Resp: 331619
Ion Ratio Lower Upper
114 100
63 20.3 0.0 40.8
88 14.6 0.0 27.8



#35
Dibromofluoromethane
Concen: 52.203 ug/l
RT: 7.634 min Scan# 970
Delta R.T. -0.006 min
Lab File: VY022648.D
Acq: 10 Jun 2025 14:19

Tgt Ion:113 Resp: 103329
Ion Ratio Lower Upper
113 100
111 105.5 81.1 121.7
192 17.7 14.2 21.2









#50
Toluene-d8
Concen: 50.857 ug/l
RT: 10.109 min Scan# 1376
Delta R.T. -0.000 min
Lab File: VY022648.D
Acq: 10 Jun 2025 14:19




Instrument :
MSVOA_Y
ClientSampleId :
OU4-PCS-TC-37-060525


Tgt Ion: 98 Resp: 406749
Ion Ratio Lower Upper
98 100
100 63.8 51.4 77.0



#62
4-Bromofluorobenzene
Concen: 43.408 ug/l
RT: 12.408 min Scan# 1753
Delta R.T. -0.000 min
Lab File: VY022648.D
Acq: 10 Jun 2025 14:19

Tgt Ion: 95 Resp: 103440
Ion Ratio Lower Upper
95 100
174 85.4 0.0 170.0
176 81.3 0.0 166.2





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.414 min Scan# 11

Delta R.T. -0.006 min

Lab File: VY022648.D

Acq: 10 Jun 2025 14:19

Instrument :

MSVOA_Y

ClientSampleId :

OU4-PCS-TC-37-060525





Tgt Ion:117 Resp: 277760

Ion Ratio Lower Upper

117 100

82 56.4 44.6 66.8

119 34.1 25.4 38.0



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.346 min Scan# 1907

Delta R.T. -0.000 min

Lab File: VY022648.D

Acq: 10 Jun 2025 14:19

Tgt Ion:152 Resp: 99853

Ion Ratio Lower Upper

152 100

115 58.1 28.9 86.7

150 158.7 0.0 349.6

