

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061225\
 Data File : VY022672.D
 Acq On : 12 Jun 2025 14:33
 Operator : SY/MD
 Sample : Q2296-11
 Misc : 5.65g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 WC-3-VOC

Quant Time: Jun 13 05:41:16 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 10 15:26:14 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	117553	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.609	114	213204	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	171852	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.340	152	62966	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.060	65	65452	49.782	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	99.560%
35) Dibromofluoromethane	7.634	113	63219	49.678	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	99.360%
50) Toluene-d8	10.103	98	251997	49.008	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	98.020%
62) 4-Bromofluorobenzene	12.401	95	62623	40.875	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	81.760%
Target Compounds						
					Qvalue	
20) Methylene Chloride	4.604	84	5721	3.772	ug/l #	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061225\
Data File : VY022672.D
Acq On : 12 Jun 2025 14:33
Operator : SY/MD
Sample : Q2296-11
Misc : 5.65g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
WC-3-VOC

Quant Time: Jun 13 05:41:16 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 10 15:26:14 2025
Response via : Initial Calibration

