

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061225\
 Data File : VY022675.D
 Acq On : 12 Jun 2025 15:44
 Operator : SY/MD
 Sample : Q2287-01
 Misc : 5.01g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 CONCRETE-SLAB

Quant Time: Jun 13 05:42:23 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 10 15:26:14 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.701	168	191831	50.000	ug/l	-0.01
34) 1,4-Difluorobenzene	8.610	114	349747	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	287106	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.340	152	105030	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.055	65	106484	49.631	ug/l	-0.01
Spiked Amount	50.000	Range	50 - 163	Recovery	=	99.260%
35) Dibromofluoromethane	7.628	113	75944	36.379	ug/l	-0.01
Spiked Amount	50.000	Range	54 - 147	Recovery	=	72.760%
50) Toluene-d8	10.103	98	426538	50.567	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	101.140%
62) 4-Bromofluorobenzene	12.402	95	105136	41.833	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	83.660%
Target Compounds						
16) Acetone	3.867	43	3006	6.899	ug/l	Qvalue 96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061225\
Data File : VY022675.D
Acq On : 12 Jun 2025 15:44
Operator : SY/MD
Sample : Q2287-01
Misc : 5.01g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
CONCRETE-SLAB

Quant Time: Jun 13 05:42:23 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 10 15:26:14 2025
Response via : Initial Calibration

