

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061625\
 Data File : VY022695.D
 Acq On : 16 Jun 2025 08:31
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 17 05:49:41 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 10 15:26:14 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	83	0.00
2 T	Dichlorodifluoromethane	0.448	0.399	10.9	80	0.00
3 P	Chloromethane	1.322	1.300	1.7	88	0.00
4 C	Vinyl Chloride	1.534	1.652	-7.7#	92	0.00
5 T	Bromomethane	1.470	1.280	12.9	86	0.00
6 T	Chloroethane	1.053	1.092	-3.7	94	0.00
7 T	Trichlorofluoromethane	1.302	1.349	-3.6	92	0.00
8 T	Diethyl Ether	0.293	0.297	-1.4	85	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.549	0.554	-0.9	86	0.00
10 T	Methyl Iodide	0.594	0.611	-2.9	79	0.00
11 T	Tert butyl alcohol	0.040	0.039	2.5	82	-0.01
12 CM	1,1-Dichloroethene	0.524	0.538	-2.7#	86	0.00
13 T	Acrolein	0.050	0.027	46.0#	46#	0.00
14 T	Allyl chloride	0.823	0.835	-1.5	86	0.00
15 T	Acrylonitrile	0.124	0.127	-2.4	84	0.00
16 T	Acetone	0.114	0.137	-20.2	98	0.00
17 T	Carbon Disulfide	1.679	1.608	4.2	80	0.00
18 T	Methyl Acetate	0.336	0.326	3.0	81	0.00
19 T	Methyl tert-butyl Ether	1.477	1.479	-0.1	84	0.00
20 T	Methylene Chloride	0.645	0.604	6.4	87	0.00
21 T	trans-1,2-Dichloroethene	0.587	0.600	-2.2	87	0.00
22 T	Diisopropyl ether	1.832	1.884	-2.8	86	0.00
23 T	Vinyl Acetate	1.084	1.077	0.6	83	0.00
24 P	1,1-Dichloroethane	1.079	1.150	-6.6	90	0.00
25 T	2-Butanone	0.164	0.176	-7.3	87	0.00
26 T	2,2-Dichloropropane	0.954	1.055	-10.6	93	0.00
27 T	cis-1,2-Dichloroethene	0.678	0.713	-5.2	87	0.00
28 T	Bromochloromethane	0.471	0.466	1.1	85	0.00
29 T	Tetrahydrofuran	0.106	0.103	2.8	82	0.00
30 C	Chloroform	1.069	1.145	-7.1#	90	0.00
31 T	Cyclohexane	1.075	1.005	6.5	82	0.00
32 T	1,1,1-Trichloroethane	0.949	1.020	-7.5	89	0.00
33 S	1,2-Dichloroethane-d4	0.559	0.567	-1.4	80	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	82	0.00
35 S	Dibromofluoromethane	0.298	0.316	-6.0	81	0.00
36 T	1,1-Dichloropropene	0.484	0.514	-6.2	87	0.00
37 T	Ethyl Acetate	0.216	0.213	1.4	76	0.00
38 T	Carbon Tetrachloride	0.497	0.538	-8.2	87	0.00
39 T	Methylcyclohexane	0.651	0.660	-1.4	83	0.00
40 TM	Benzene	1.431	1.539	-7.5	88	0.00
41 T	Methacrylonitrile	0.126	0.124	1.6	82	0.00
42 TM	1,2-Dichloroethane	0.391	0.418	-6.9	88	0.00
43 T	Isopropyl Acetate	0.467	0.471	-0.9	81	0.00
44 TM	Trichloroethene	0.350	0.380	-8.6	88	0.00
45 C	1,2-Dichloropropane	0.338	0.369	-9.2#	88	0.00
46 T	Dibromomethane	0.190	0.195	-2.6	83	0.00
47 T	Bromodichloromethane	0.482	0.541	-12.2	91	0.00
48 T	Methyl methacrylate	0.219	0.211	3.7	78	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061625\
 Data File : VY022695.D
 Acq On : 16 Jun 2025 08:31
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 17 05:49:41 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 10 15:26:14 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	81	0.00
50 S	Toluene-d8	1.206	1.267	-5.1	82	0.00
51 T	4-Methyl-2-Pentanone	0.233	0.241	-3.4	82	0.00
52 CM	Toluene	0.899	0.961	-6.9#	88	0.00
53 T	t-1,3-Dichloropropene	0.452	0.480	-6.2	86	0.00
54 T	cis-1,3-Dichloropropene	0.526	0.570	-8.4	87	0.00
55 T	1,1,2-Trichloroethane	0.243	0.255	-4.9	87	0.00
56 T	Ethyl methacrylate	0.351	0.360	-2.6	82	0.00
57 T	1,3-Dichloropropane	0.430	0.457	-6.3	86	0.00
58 T	2-Chloroethyl Vinyl ether	0.159	0.178	-11.9	92	0.00
59 T	2-Hexanone	0.156	0.165	-5.8	84	0.00
60 T	Dibromochloromethane	0.308	0.331	-7.5	87	0.00
61 T	1,2-Dibromoethane	0.221	0.235	-6.3	87	0.00
62 S	4-Bromofluorobenzene	0.359	0.372	-3.6	82	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	83	0.00
64 T	Tetrachloroethene	0.430	0.509	-18.4	97	0.00
65 PM	Chlorobenzene	1.106	1.172	-6.0	87	0.00
66 T	1,1,1,2-Tetrachloroethane	0.373	0.400	-7.2	87	0.00
67 C	Ethyl Benzene	2.052	2.207	-7.6#	88	0.00
68 T	m/p-Xylenes	0.778	0.838	-7.7	88	0.00
69 T	o-Xylene	0.729	0.778	-6.7	88	0.00
70 T	Styrene	1.206	1.301	-7.9	87	0.00
71 P	Bromoform	0.198	0.210	-6.1	87	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	83	0.00
73 T	Isopropylbenzene	4.105	4.397	-7.1	88	0.00
74 T	N-amyl acetate	1.036	1.041	-0.5	80	0.00
75 P	1,1,2,2-Tetrachloroethane	0.674	0.664	1.5	80	0.00
76 T	1,2,3-Trichloropropane	0.572	0.551	3.7	72	0.00
77 T	Bromobenzene	0.866	0.906	-4.6	86	0.00
78 T	n-propylbenzene	5.014	5.414	-8.0	88	0.00
79 T	2-Chlorotoluene	2.657	2.838	-6.8	88	0.00
80 T	1,3,5-Trimethylbenzene	3.223	3.472	-7.7	88	0.00
81 T	trans-1,4-Dichloro-2-butene	0.237	0.225	5.1	80	0.00
82 T	4-Chlorotoluene	2.741	2.958	-7.9	88	0.00
83 T	tert-Butylbenzene	2.893	3.096	-7.0	88	0.00
84 T	1,2,4-Trimethylbenzene	3.223	3.480	-8.0	89	0.00
85 T	sec-Butylbenzene	4.430	4.791	-8.1	89	0.00
86 T	p-Isopropyltoluene	3.652	3.912	-7.1	88	0.00
87 T	1,3-Dichlorobenzene	1.755	1.897	-8.1	90	0.00
88 T	1,4-Dichlorobenzene	1.702	1.810	-6.3	88	0.00
89 T	n-Butylbenzene	3.464	3.757	-8.5	88	0.00
90 T	Hexachloroethane	0.711	0.783	-10.1	90	0.00
91 T	1,2-Dichlorobenzene	1.490	1.586	-6.4	87	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.098	0.102	-4.1	80	0.00
93 T	1,2,4-Trichlorobenzene	0.813	0.839	-3.2	85	0.00
94 T	Hexachlorobutadiene	0.449	0.464	-3.3	86	0.00
95 T	Naphthalene	1.560	1.536	1.5	78	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061625\
Data File : VY022695.D
Acq On : 16 Jun 2025 08:31
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Jun 17 05:49:41 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 10 15:26:14 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.697	0.707	-1.4	83	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6