

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061925\
 Data File : VY022752.D
 Acq On : 19 Jun 2025 13:48
 Operator : SY/MD
 Sample : Q2364-02
 Misc : 5.34g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 GAV1B

Quant Time: Jun 20 02:59:06 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 10 15:26:14 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	89285	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	170451	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	144046	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	53874	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	55857	55.935	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	111.880%
35) Dibromofluoromethane	7.640	113	55951	54.995	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	109.980%
50) Toluene-d8	10.103	98	206564	50.248	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	100.500%
62) 4-Bromofluorobenzene	12.401	95	51629	42.152	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	84.300%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061925\
Data File : VY022752.D
Acq On : 19 Jun 2025 13:48
Operator : SY/MD
Sample : Q2364-02
Misc : 5.34g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
GAV1B

Quant Time: Jun 20 02:59:06 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 10 15:26:14 2025
Response via : Initial Calibration

