

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061925\
 Data File : VY022755.D
 Acq On : 19 Jun 2025 15:12
 Operator : SY/MD
 Sample : Q2367-07
 Misc : 4.48g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 EP-5-VOV

Quant Time: Jun 20 03:00:13 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 10 15:26:14 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	88760	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	167740	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	140708	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.340	152	52660	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	54398	54.796	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	109.600%
35) Dibromofluoromethane	7.634	113	53565	53.500	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	107.000%
50) Toluene-d8	10.103	98	203716	50.356	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	100.720%
62) 4-Bromofluorobenzene	12.401	95	50944	42.265	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	84.520%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061925\
Data File : VY022755.D
Acq On : 19 Jun 2025 15:12
Operator : SY/MD
Sample : Q2367-07
Misc : 4.48g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
EP-5-VOV

Quant Time: Jun 20 03:00:13 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 10 15:26:14 2025
Response via : Initial Calibration

