

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062024\
 Data File : VY018648.D
 Acq On : 20 Jun 2024 10:21
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VSTDCCC050

Quant Time: Jun 21 01:44:18 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y061324S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jun 14 07:08:24 2024
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Mahesh

Dadoda

06/21/2024

Supervised By :Semsettin

Yesilyurt

06/21/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.777	168	144133	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.679	114	240867	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	220532	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	109794	50.000	ug/l	0.00

System Monitoring Compounds

33) 1,2-Dichloroethane-d4	8.130	65	67204	46.312	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	92.620%
35) Dibromofluoromethane	7.703	113	68748	46.789	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	93.580%
50) Toluene-d8	10.172	98	268922	47.592	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	95.180%
62) 4-Bromofluorobenzene	12.477	95	87988	49.313	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	98.620%

Target Compounds

						Qvalue
2) Dichlorodifluoromethane	1.900	85	45214	47.629	ug/l	99
3) Chloromethane	2.107	50	90050	46.058	ug/l	99
4) Vinyl Chloride	2.241	62	110040	45.448	ug/l	98
5) Bromomethane	2.637	94	76015	42.238	ug/l	93
6) Chloroethane	2.777	64	72466	45.688	ug/l	99
7) Trichlorofluoromethane	3.107	101	128157	49.153	ug/l	98
8) Diethyl Ether	3.515	74	37655	50.650	ug/l	98
9) 1,1,2-Trichlorotrifluo...	3.881	101	67532	49.572	ug/l	98
10) Methyl Iodide	4.076	142	79480	48.276	ug/l	99
11) Tert butyl alcohol	4.942	59	29803	114.179	ug/l #	78
12) 1,1-Dichloroethene	3.850	96	66183	48.342	ug/l	95
13) Acrolein	3.716	56	23076	274.988	ug/l	98
14) Allyl chloride	4.460	41	90185	48.863	ug/l	97
15) Acrylonitrile	5.143	53	92476	279.618	ug/l	99
16) Acetone	3.930	43	100801	341.429	ug/l	91
17) Carbon Disulfide	4.180	76	183013	44.341	ug/l	98
18) Methyl Acetate	4.466	43	47358	63.241	ug/l	97
19) Methyl tert-butyl Ether	5.204	73	177107	48.496	ug/l	100
20) Methylene Chloride	4.698	84	81407	43.594	ug/l	94
21) trans-1,2-Dichloroethene	5.198	96	76104	48.832	ug/l	97
22) Diisopropyl ether	6.106	45	201348	48.323	ug/l	95
23) Vinyl Acetate	6.039	43	888938	230.153	ug/l	98
24) 1,1-Dichloroethane	5.996	63	128375	47.823	ug/l	99
25) 2-Butanone	6.972	43	130225	294.267	ug/l	95
26) 2,2-Dichloropropane	6.960	77	105542	46.667	ug/l	100
27) cis-1,2-Dichloroethene	6.972	96	90825	48.248	ug/l	100
28) Bromochloromethane	7.319	49	53660	48.771	ug/l	98
29) Tetrahydrofuran	7.338	42	78184	287.887	ug/l	95
30) Chloroform	7.496	83	139203	47.583	ug/l	100
31) Cyclohexane	7.770	56	100595	45.255	ug/l	99
32) 1,1,1-Trichloroethane	7.685	97	120693	48.563	ug/l	98
36) 1,1-Dichloropropene	7.905	75	96610	47.768	ug/l	99
37) Ethyl Acetate	7.063	43	52285	54.841	ug/l	98
38) Carbon Tetrachloride	7.892	117	107022	50.438	ug/l	98
39) Methylcyclohexane	9.173	83	117386	47.369	ug/l	97
40) Benzene	8.148	78	307018	49.085	ug/l	98

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062024\
 Data File : VY018648.D
 Acq On : 20 Jun 2024 10:21
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VSTDCCC050

Manual Integrations
 APPROVED

Reviewed By :Mahesh
 Dadoda
 06/21/2024

Supervised By :Semsettin
 Yesilyurt
 06/21/2024

Quant Time: Jun 21 01:44:18 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y061324S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jun 14 07:08:24 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.295	41	27279	56.889	ug/l	95
42) 1,2-Dichloroethane	8.228	62	79463	48.696	ug/l	99
43) Isopropyl Acetate	8.264	43	98639	55.431	ug/l	94
44) Trichloroethene	8.929	130	80929	49.420	ug/l	96
45) 1,2-Dichloropropane	9.209	63	69531	48.615	ug/l	98
46) Dibromomethane	9.295	93	45426	51.188	ug/l	98
47) Bromodichloromethane	9.490	83	105524	49.821	ug/l	99
48) Methyl methacrylate	9.282	41	43421	54.201	ug/l	95
49) 1,4-Dioxane	9.289	88	13118	1123.943	ug/l #	94
51) 4-Methyl-2-Pentanone	10.063	43	269140	287.135	ug/l	99
52) Toluene	10.240	92	201732	50.234	ug/l	98
53) t-1,3-Dichloropropene	10.459	75	102930	55.609	ug/l	95
54) cis-1,3-Dichloropropene	9.923	75	116163	52.005	ug/l	98
55) 1,1,2-Trichloroethane	10.636	97	62791	53.196	ug/l	96
56) Ethyl methacrylate	10.502	69	89209	57.756	ug/l #	78
57) 1,3-Dichloropropane	10.782	76	108004	55.083	ug/l	100
58) 2-Chloroethyl Vinyl ether	9.776	63	192691	258.417	ug/l	96
59) 2-Hexanone	10.825	43	202785	308.857	ug/l	98
60) Dibromochloromethane	10.977	129	82997	56.604	ug/l	100
61) 1,2-Dibromoethane	11.081	107	60693	55.637	ug/l	100
64) Tetrachloroethene	10.715	164	77440	49.233	ug/l	97
65) Chlorobenzene	11.514	112	224565	49.293	ug/l	99
66) 1,1,1,2-Tetrachloroethane	11.587	131	78823	51.630	ug/l	99
67) Ethyl Benzene	11.587	91	639279	80.872	ug/l #	86
68) m/p-Xylenes	11.697	106	302361	98.300	ug/l	98
69) o-Xylene	12.026	106	145451	49.174	ug/l	94
70) Styrene	12.038	104	252788	51.732	ug/l	95
71) Bromoform	12.203	173	50644	60.456	ug/l #	97
73) Isopropylbenzene	12.325	105	364450	45.457	ug/l	99
74) N-amyl acetate	12.142	43	83985	51.155	ug/l	98
75) 1,1,2,2-Tetrachloroethane	12.581	83	72295	50.784	ug/l	90
76) 1,2,3-Trichloropropane	12.629	75	85216m	82.741	ug/l	
77) Bromobenzene	12.605	156	95409	51.457	ug/l	100
78) n-propylbenzene	12.666	91	393717	41.961	ug/l	95
79) 2-Chlorotoluene	12.751	91	226876	42.835	ug/l	95
80) 1,3,5-Trimethylbenzene	12.806	105	275830	43.409	ug/l	99
81) trans-1,4-Dichloro-2-b...	12.373	75	25480	64.803	ug/l #	86
82) 4-Chlorotoluene	12.849	91	228271	42.799	ug/l	95
83) tert-Butylbenzene	13.074	119	269754	45.869	ug/l #	27
84) 1,2,4-Trimethylbenzene	13.117	105	297214	46.798	ug/l	97
85) sec-Butylbenzene	13.251	105	355135	42.340	ug/l	96
86) p-Isopropyltoluene	13.367	119	358411	50.403	ug/l	96
87) 1,3-Dichlorobenzene	13.361	146	175045	46.806	ug/l	98
88) 1,4-Dichlorobenzene	13.440	146	172451	46.991	ug/l	98
89) n-Butylbenzene	13.690	91	275169	42.932	ug/l	97
90) Hexachloroethane	13.958	117	63070	48.824	ug/l	98
91) 1,2-Dichlorobenzene	13.733	146	155160	48.567	ug/l	98
92) 1,2-Dibromo-3-Chloropr...	14.355	75	12813	62.158	ug/l	91
93) 1,2,4-Trichlorobenzene	15.007	180	89003	50.006	ug/l	99
94) Hexachlorobutadiene	15.105	225	45427	49.674	ug/l	99
95) Naphthalene	15.233	128	194006	58.328	ug/l	100
96) 1,2,3-Trichlorobenzene	15.422	180	77162	51.310	ug/l	99

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062024\
Data File : VY018648.D
Acq On : 20 Jun 2024 10:21
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jun 21 01:44:18 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y061324S.M
Quant Title : SW846 8260
QLast Update : Fri Jun 14 07:08:24 2024
Response via : Initial Calibration

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050


Manual Integrations
APPROVED

Reviewed By :Mahesh
Dadoda
06/21/2024

Supervised By :Semsettin
Yesilyurt
06/21/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.777 min Scan# 91
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050

Tgt Ion:168 Resp: 14413
Ion Ratio Lower Upper
168 100
99 54.2 39.1 58.7

Manual Integrations
APPROVED

Reviewed By :Mahesh





Dadoda

06/21/2024

Supervised By :Semsettin




Yesilyurt


06/21/2024



#2
Dichlorodifluoromethane
Concen: 47.629 ug/l
RT: 1.900 min Scan# 13
Delta R.T. 0.006 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21


Tgt Ion: 85 Resp: 45214
Ion Ratio Lower Upper
85 100
87 32.8 16.0 48.0





#3
Chloromethane
Concen: 46.058 ug/l
RT: 2.107 min Scan# 41
Delta R.T. 0.006 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050






Tgt Ion: 50 Resp: 90050
Ion Ratio Lower Upper
50 100
52 32.6 25.6 38.4

Manual Integrations
APPROVED




Reviewed By :Mahesh
Dadoda
06/21/2024


Supervised By :Semsettin
Yesilyurt
06/21/2024



#4
Vinyl Chloride
Concen: 45.448 ug/l
RT: 2.241 min Scan# 69
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Tgt Ion: 62 Resp: 110040
Ion Ratio Lower Upper
62 100
64 31.7 26.1 39.1









#5
Bromomethane
Concen: 42.238 ug/l
RT: 2.637 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion: 94 Resp: 7601
Ion Ratio Lower Upper
94 100
96 98.9 74.1 111.1




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#6
Chloroethane
Concen: 45.688 ug/l
RT: 2.777 min Scan# 157
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Tgt Ion: 64 Resp: 72466
Ion Ratio Lower Upper
64 100
66 32.2 26.1 39.1









#7
Trichlorofluoromethane
Concen: 49.153 ug/l
RT: 3.107 min Scan# 211
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion:101 Resp: 12815
Ion Ratio Lower Upper
101 100
103 63.3 49.3 73.9




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#8
Diethyl Ether
Concen: 50.650 ug/l
RT: 3.515 min Scan# 278
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Tgt Ion: 74 Resp: 37655
Ion Ratio Lower Upper
74 100
45 84.3 41.3 124.1









#9
1,1,2-Trichlorotrifluoroethane
Concen: 49.572 ug/l
RT: 3.881 min Scan# 31
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion:101 Resp: 6753
Ion Ratio Lower Upper
101 100
85 44.1 34.5 51.7
151 74.8 61.7 92.5




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#10
Methyl Iodide
Concen: 48.276 ug/l
RT: 4.076 min Scan# 370
Delta R.T. 0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21


Tgt Ion:142 Resp: 79480
Ion Ratio Lower Upper
142 100
127 42.2 32.8 49.2
141 14.3 11.4 17.2





#11
Tert butyl alcohol
Concen: 114.179 ug/l
RT: 4.942 min Scan# 511
Delta R.T. 0.006 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050




Tgt Ion: 59 Resp: 2980
Ion Ratio Lower Upper
59 100
57 10.9 3.0 4.6

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024




#12
1,1-Dichloroethene
Concen: 48.342 ug/l
RT: 3.850 min Scan# 333
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Tgt Ion: 96 Resp: 66183
Ion Ratio Lower Upper
96 100
61 151.0 114.6 171.8
98 62.2 50.8 76.2





#13
Acrolein
Concen: 274.988 ug/l
RT: 3.716 min Scan# 310
Delta R.T. 0.006 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050



Tgt Ion: 56 Resp: 23070
Ion Ratio Lower Upper
56 100
55 71.3 55.7 83.5




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#14
Allyl chloride
Concen: 48.863 ug/l
RT: 4.460 min Scan# 433
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21


Tgt Ion: 41 Resp: 90185
Ion Ratio Lower Upper
41 100
39 73.7 58.3 87.5
76 44.7 39.0 58.6





#15
Acrylonitrile
Concen: 279.618 ug/l
RT: 5.143 min Scan# 545
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050



Tgt Ion: 53 Resp: 92470
Ion Ratio Lower Upper
53 100
52 81.5 64.7 97.1
51 37.1 28.4 42.6




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#16
Acetone
Concen: 341.429 ug/l
RT: 3.930 min Scan# 346
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Tgt Ion: 43 Resp: 100801
Ion Ratio Lower Upper
43 100
58 34.0 31.7 47.5









#17
Carbon Disulfide
Concen: 44.341 ug/l
RT: 4.180 min Scan# 387
Delta R.T. 0.006 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion: 76 Resp: 18301
Ion Ratio Lower Upper
76 100
78 9.4 6.8 10.2




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#18
Methyl Acetate
Concen: 63.241 ug/l
RT: 4.466 min Scan# 434
Delta R.T. 0.006 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Tgt Ion: 43 Resp: 47358
Ion Ratio Lower Upper
43 100
74 27.8 23.3 34.9









#19
Methyl tert-butyl Ether
Concen: 48.496 ug/l
RT: 5.204 min Scan# 511
Delta R.T. 0.006 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion: 73 Resp: 17710
Ion Ratio Lower Upper
73 100
57 21.6 17.3 25.9




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#20
Methylene Chloride
Concen: 43.594 ug/l
RT: 4.698 min Scan# 472
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21


Tgt Ion: 84 Resp: 81407
Ion Ratio Lower Upper
84 100
49 114.0 84.4 126.6
51 35.5 26.0 39.0
86 62.9 49.5 74.3





#21
trans-1,2-Dichloroethene
Concen: 48.832 ug/l
RT: 5.198 min Scan# 51
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050




Tgt Ion: 96 Resp: 76104
Ion Ratio Lower Upper
96 100
61 117.2 97.5 146.3
98 63.7 50.5 75.7

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024




#22
Diisopropyl ether
Concen: 48.323 ug/l
RT: 6.106 min Scan# 703
Delta R.T. 0.006 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Tgt Ion: 45 Resp: 201348
Ion Ratio Lower Upper
45 100
43 56.6 42.2 63.2
87 33.8 25.0 37.6
59 11.7 10.5 15.7





#23
 Vinyl Acetate
 Concen: 230.153 ug/l
 RT: 6.039 min Scan# 693
 Delta R.T. -0.006 min
 Lab File: VY018648.D
 Acq: 20 Jun 2024 10:21




Instrument :
 MSVOA_Y
 ClientSampleId :
 VSTDCCC050




Tgt Ion: 43 Resp: 888938
 Ion Ratio Lower Upper
 43 100
 86 12.5 10.6 16.0

Manual Integrations
 APPROVED



Reviewed By :Mahesh Dadoda 06/21/2024
 Supervised By :Semsettin Yesilyurt 06/21/2024




#24
 1,1-Dichloroethane
 Concen: 47.823 ug/l
 RT: 5.996 min Scan# 685
 Delta R.T. -0.000 min
 Lab File: VY018648.D
 Acq: 20 Jun 2024 10:21




Tgt Ion: 63 Resp: 128375
 Ion Ratio Lower Upper
 63 100
 98 8.6 4.0 12.2
 100 5.2 2.6 8.0





#25
2-Butanone
Concen: 294.267 ug/l
RT: 6.972 min Scan# 845
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050




Tgt Ion: 43 Resp: 130225
Ion Ratio Lower Upper
43 100
72 31.0 27.3 40.9

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024




#26
2,2-Dichloropropane
Concen: 46.667 ug/l
RT: 6.960 min Scan# 843
Delta R.T. -0.006 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Tgt Ion: 77 Resp: 105542
Ion Ratio Lower Upper
77 100
97 24.1 12.0 36.1





#27
 cis-1,2-Dichloroethene
 Concen: 48.248 ug/l
 RT: 6.972 min Scan# 844
 Delta R.T. 0.006 min
 Lab File: VY018648.D
 Acq: 20 Jun 2024 10:21




Instrument :
 MSVOA_Y
 ClientSampleId :
 VSTDCCC050



Tgt Ion: 96 Resp: 90825
 Ion Ratio Lower Upper
 96 100
 61 128.1 0.0 256.2
 98 64.3 0.0 130.0




Manual Integrations
 APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
 Supervised By :Semsettin Yesilyurt 06/21/2024



#28
 Bromochloromethane
 Concen: 48.771 ug/l
 RT: 7.319 min Scan# 902
 Delta R.T. -0.000 min
 Lab File: VY018648.D
 Acq: 20 Jun 2024 10:21

Tgt Ion: 49 Resp: 53660
 Ion Ratio Lower Upper
 49 100
 129 2.6 0.0 4.6
 130 89.3 72.7 109.1





#29

Tetrahydrofuran

Concen: 287.887 ug/l

RT: 7.338 min Scan# 905

Delta R.T. -0.000 min

Lab File: VY018648.D

Acq: 20 Jun 2024 10:21

Instrument :

MSVOA_Y

ClientSampleId :





VSTDCCC050

Tgt Ion:	42	Resp:	78184
Ion	Ratio	Lower	Upper
42	100		
72	49.6	43.0	64.4
71	47.3	40.8	61.2

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#30

Chloroform

Concen: 47.583 ug/l




RT: 7.496 min Scan# 931


Delta R.T. -0.000 min

Lab File: VY018648.D

Acq: 20 Jun 2024 10:21


Tgt Ion:	83	Resp:	139203
Ion	Ratio	Lower	Upper
83	100		
85	65.6	52.2	78.4





#31
Cyclohexane
Concen: 45.255 ug/l
RT: 7.770 min Scan# 91
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050



Tgt Ion: 56 Resp: 10059
Ion Ratio Lower Upper
56 100
69 33.2 28.7 43.1
84 97.0 77.7 116.5




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#32
1,1,1-Trichloroethane
Concen: 48.563 ug/l
RT: 7.685 min Scan# 962
Delta R.T. -0.006 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Tgt Ion: 97 Resp: 120693
Ion Ratio Lower Upper
97 100
99 63.7 50.3 75.5
61 42.7 32.6 48.8





#33

1,2-Dichloroethane-d4

Concen: 46.312 ug/l

RT: 8.130 min Scan# 1035

Delta R.T. -0.000 min

Lab File: VY018648.D

Acq: 20 Jun 2024 10:21

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050

Tgt Ion: 65 Resp: 67204

Ion Ratio Lower Upper

65 100





67 52.8 0.0 109.6

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 06/21/2024

Supervised By :Semsettin Yesilyurt 06/21/2024



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.679 min Scan# 1125

Delta R.T. -0.000 min

Lab File: VY018648.D

Acq: 20 Jun 2024 10:21




Tgt Ion:114 Resp: 240867


Ion Ratio Lower Upper

114 100

63 17.6 0.0 35.0


88 14.5 0.0 27.2





#35
Dibromofluoromethane
Concen: 46.789 ug/l
RT: 7.703 min Scan# 901
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050



Tgt Ion:113 Resp: 68748
Ion Ratio Lower Upper
113 100
111 103.8 82.2 123.4
192 19.3 15.9 23.9




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#36
1,1-Dichloropropene
Concen: 47.768 ug/l
RT: 7.905 min Scan# 998
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21


Tgt Ion: 75 Resp: 96610
Ion Ratio Lower Upper
75 100
110 37.6 19.0 57.0
77 31.3 25.3 37.9





#37
Ethyl Acetate
Concen: 54.841 ug/l
RT: 7.063 min Scan# 860
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050



Tgt Ion: 43 Resp: 5228
Ion Ratio Lower Upper
43 100
61 16.5 12.6 19.0
70 11.2 7.8 11.8




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#38
Carbon Tetrachloride
Concen: 50.438 ug/l
RT: 7.892 min Scan# 996
Delta R.T. 0.006 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21


Tgt Ion:117 Resp: 107022
Ion Ratio Lower Upper
117 100
119 91.6 75.8 113.6
121 29.8 24.0 36.0





#39
Methylcyclohexane
Concen: 47.369 ug/l
RT: 9.173 min Scan# 11738
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050



Tgt Ion: 83 Resp: 11738
Ion Ratio Lower Upper
83 100
55 68.8 51.5 77.3
98 51.0 40.5 60.7




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#40
Benzene
Concen: 49.085 ug/l
RT: 8.148 min Scan# 1038
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21


Tgt Ion: 78 Resp: 307018
Ion Ratio Lower Upper
78 100
77 23.3 19.5 29.3





#41
Methacrylonitrile
Concen: 56.889 ug/l
RT: 7.295 min Scan# 899
Delta R.T. -0.006 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050



Tgt Ion: 41 Resp: 27279
Ion Ratio Lower Upper
41 100
39 53.2 48.0 72.0
67 90.5 75.1 112.7
52 35.0 29.8 44.6




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#42
1,2-Dichloroethane
Concen: 48.696 ug/l
RT: 8.228 min Scan# 1051
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Tgt Ion: 62 Resp: 79463
Ion Ratio Lower Upper
62 100
98 10.7 0.0 22.0





#43

Isopropyl Acetate

Concen: 55.431 ug/l

RT: 8.264 min Scan# 1057

Delta R.T. -0.000 min

Lab File: VY018648.D

Acq: 20 Jun 2024 10:21

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050





Tgt Ion: 43	Resp: 98639
Ion Ratio	Lower Upper
43 100	
61 30.3	27.9 41.9
87 15.5	13.1 19.7

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 06/21/2024

Supervised By :Semsettin Yesilyurt 06/21/2024



#44

Trichloroethene

Concen: 49.420 ug/l




RT: 8.929 min Scan# 1166


Delta R.T. -0.006 min

Lab File: VY018648.D

Acq: 20 Jun 2024 10:21

Tgt Ion:130	Resp: 80929
Ion Ratio	Lower Upper
130 100	
95 90.4	0.0 188.0









#45
1,2-Dichloropropane
Concen: 48.615 ug/l
RT: 9.209 min Scan# 1212
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion: 63 Resp: 6953
Ion Ratio Lower Upper
63 100
65 30.8 25.4 38.2




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#46
Dibromomethane
Concen: 51.188 ug/l
RT: 9.295 min Scan# 1226
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21


Tgt Ion: 93 Resp: 45426
Ion Ratio Lower Upper
93 100
95 84.2 66.2 99.4
174 99.1 80.9 121.3





#47
Bromodichloromethane
Concen: 49.821 ug/l
RT: 9.490 min Scan# 1258
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050



Tgt Ion: 83 Resp: 105524
Ion Ratio Lower Upper
83 100
85 63.2 50.1 75.1
127 9.3 7.4 11.0




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#48
Methyl methacrylate
Concen: 54.201 ug/l
RT: 9.282 min Scan# 1224
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Tgt Ion: 41 Resp: 43421
Ion Ratio Lower Upper
41 100
69 102.6 84.1 126.1
39 62.0 43.6 65.4





#49

1,4-Dioxane

Concen: 1123.943 ug/l

RT: 9.289 min Scan# 1225

Delta R.T. -0.000 min

Lab File: VY018648.D

Acq: 20 Jun 2024 10:21

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050

Tgt Ion: 88 Resp: 13118

Ion Ratio Lower Upper

88 100

43 27.3 0.0 0.0





58 56.7 49.3 73.9

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 06/21/2024

Supervised By :Semsettin Yesilyurt 06/21/2024



#50

Toluene-d8

Concen: 47.592 ug/l

RT: 10.172 min Scan# 1370

Delta R.T. -0.000 min

Lab File: VY018648.D




Acq: 20 Jun 2024 10:21


Tgt Ion: 98 Resp: 268922

Ion Ratio Lower Upper

98 100


100 65.4 52.0 78.0





#51
4-Methyl-2-Pentanone
Concen: 287.135 ug/l
RT: 10.063 min Scan# 1352
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050




Tgt Ion: 43 Resp: 269140
Ion Ratio Lower Upper
43 100
58 43.8 35.7 53.5

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024




#52
Toluene
Concen: 50.234 ug/l
RT: 10.240 min Scan# 1381
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Tgt Ion: 92 Resp: 201732
Ion Ratio Lower Upper
92 100
91 171.6 139.0 208.6





#53
t-1,3-Dichloropropene
Concen: 55.609 ug/l
RT: 10.459 min Scan# 1417
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050



Tgt Ion: 75 Resp: 102930
Ion Ratio Lower Upper
75 100
77 33.0 24.1 36.1




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#54
cis-1,3-Dichloropropene
Concen: 52.005 ug/l
RT: 9.923 min Scan# 1329
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Tgt Ion: 75 Resp: 116163
Ion Ratio Lower Upper
75 100
77 30.6 25.4 38.0
39 38.7 29.8 44.6









#55
1,1,2-Trichloroethane
Concen: 53.196 ug/l
RT: 10.636 min Scan# 1446
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion: 97	Resp: 6279
Ion Ratio	Lower Upper
97 100	
83 87.4	67.5 101.3
85 55.9	42.9 64.3
99 62.5	46.6 70.0




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#56
Ethyl methacrylate
Concen: 57.756 ug/l
RT: 10.502 min Scan# 1424
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21


Tgt Ion: 69	Resp: 89209
Ion Ratio	Lower Upper
69 100	
41 62.2	42.3 63.5
39 49.1	22.9 34.3#





#57
1,3-Dichloropropane
Concen: 55.083 ug/l
RT: 10.782 min Scan# 1470
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050



Tgt Ion: 76 Resp: 108004
Ion Ratio Lower Upper
76 100
78 32.7 26.2 39.4




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#58
2-Chloroethyl Vinyl ether
Concen: 258.417 ug/l
RT: 9.776 min Scan# 1305
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21


Tgt Ion: 63 Resp: 192691
Ion Ratio Lower Upper
63 100
106 31.5 23.7 35.5





#59
2-Hexanone
Concen: 308.857 ug/l
RT: 10.825 min Scan# 1477
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050



Tgt Ion: 43 Resp: 202785
Ion Ratio Lower Upper
43 100
58 60.9 31.4 94.0




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#60
Dibromochloromethane
Concen: 56.604 ug/l
RT: 10.977 min Scan# 1502
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21


Tgt Ion:129 Resp: 82997
Ion Ratio Lower Upper
129 100
127 77.6 39.0 117.0





#61
1,2-Dibromoethane
Concen: 55.637 ug/l
RT: 11.081 min Scan# 1519
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050




Tgt Ion:107 Resp: 60693
Ion Ratio Lower Upper
107 100
109 94.9 75.9 113.9

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024




#62
4-Bromofluorobenzene
Concen: 49.313 ug/l
RT: 12.477 min Scan# 1748
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21



Tgt Ion: 95 Resp: 87988
Ion Ratio Lower Upper
95 100
174 94.1 0.0 175.6
176 90.5 0.0 171.4









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.489 min Scan# 1158
Delta R.T. 0.006 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion:117 Resp: 220532
Ion Ratio Lower Upper
117 100
82 50.3 42.4 63.6
119 32.1 25.9 38.9




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#64
Tetrachloroethene
Concen: 49.233 ug/l
RT: 10.715 min Scan# 1459
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21


Tgt Ion:164 Resp: 77440
Ion Ratio Lower Upper
164 100
166 127.0 102.6 154.0
129 95.1 72.0 108.0
131 91.7 70.0 105.0





#65
Chlorobenzene
Concen: 49.293 ug/l
RT: 11.514 min Scan# 1150
Delta R.T. 0.006 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050



Tgt Ion:112 Resp: 22456
Ion Ratio Lower Upper
112 100
114 32.6 26.4 39.6




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#66
1,1,1,2-Tetrachloroethane
Concen: 51.630 ug/l
RT: 11.587 min Scan# 1602
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21


Tgt Ion:131 Resp: 78823
Ion Ratio Lower Upper
131 100
133 94.2 47.8 143.3
119 68.9 34.1 102.2





#67
Ethyl Benzene
Concen: 80.872 ug/l
RT: 11.587 min Scan# 1602
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050



Tgt Ion: 91 Resp: 639279
Ion Ratio Lower Upper
91 100
106 22.9 24.5 36.7




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#68
m/p-Xylenes
Concen: 98.300 ug/l
RT: 11.697 min Scan# 1620
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Tgt Ion:106 Resp: 302361
Ion Ratio Lower Upper
106 100
91 191.5 156.0 234.0









#69
o-Xylene
Concen: 49.174 ug/l
RT: 12.026 min Scan# 1674
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion:106 Resp: 14545
Ion Ratio Lower Upper
106 100
91 216.8 103.6 310.8




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#70
Styrene
Concen: 51.732 ug/l
RT: 12.038 min Scan# 1676
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Tgt Ion:104 Resp: 252788
Ion Ratio Lower Upper
104 100
78 49.4 37.0 55.4
103 58.9 44.2 66.2





#71

Bromoform

Concen: 60.456 ug/l

RT: 12.203 min Scan# 11

Delta R.T. -0.000 min

Lab File: VY018648.D

Acq: 20 Jun 2024 10:21

Instrument :

MSVOA_Y

ClientSampleId :





VSTDCCC050

Tgt Ion:173	Resp:	5064
Ion Ratio	Lower	Upper
173	100	
175	48.4	25.1 75.3
254	0.0	0.0 0.0

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l




RT: 13.422 min Scan# 1903


Delta R.T. -0.000 min

Lab File: VY018648.D

Acq: 20 Jun 2024 10:21


Tgt Ion:152	Resp:	109794
Ion Ratio	Lower	Upper
152	100	
115	53.6	28.2 84.7
150	172.6	0.0 345.6





#73
Isopropylbenzene
Concen: 45.457 ug/l
RT: 12.325 min Scan# 1723
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050




Tgt Ion:105 Resp: 364450
Ion Ratio Lower Upper
105 100
120 27.0 13.4 40.1

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024




#74
N-ethyl acetate
Concen: 51.155 ug/l
RT: 12.142 min Scan# 1693
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21



Tgt Ion: 43 Resp: 83985
Ion Ratio Lower Upper
43 100
70 51.1 41.4 62.2
55 26.6 23.3 34.9
61 28.6 22.6 33.8









#75
1,1,2,2-Tetrachloroethane
Concen: 50.784 ug/l
RT: 12.581 min Scan# 1764
Delta R.T. 0.006 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion: 83 Resp: 72295
Ion Ratio Lower Upper
83 100
131 12.3 5.0 14.9
85 72.0 32.0 96.0




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#76
1,2,3-Trichloropropane
Concen: 82.741 ug/l m
RT: 12.629 min Scan# 1773
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Tgt Ion: 75 Resp: 85216
Ion Ratio Lower Upper
75 100
77 0.0 0.0 0.0





#77

Bromobenzene

Concen: 51.457 ug/l

RT: 12.605 min Scan# 1769

Delta R.T. -0.000 min

Lab File: VY018648.D

Acq: 20 Jun 2024 10:21

Instrument :

MSVOA_Y

ClientSampleId :





VSTDCCC050

Tgt Ion:	156	Resp:	95409
Ion Ratio	Lower	Upper	
156	100		
77	174.5	87.1	261.3
158	97.6	48.6	145.9

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#78

n-propylbenzene

Concen: 41.961 ug/l




RT: 12.666 min Scan# 1779


Delta R.T. -0.000 min

Lab File: VY018648.D

Acq: 20 Jun 2024 10:21


Tgt Ion:	91	Resp:	393717
Ion Ratio	Lower	Upper	
91	100		
120	25.2	11.5	34.4





#79
2-Chlorotoluene
Concen: 42.835 ug/l
RT: 12.751 min Scan# 1793
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050




Tgt Ion: 91 Resp: 226870
Ion Ratio Lower Upper
91 100
126 38.5 17.8 53.5

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024




#80
1,3,5-Trimethylbenzene
Concen: 43.409 ug/l
RT: 12.806 min Scan# 1802
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Tgt Ion:105 Resp: 275830
Ion Ratio Lower Upper
105 100
120 50.8 25.1 75.2





#81
trans-1,4-Dichloro-2-butene
Concen: 64.803 ug/l
RT: 12.373 min Scan# 1731
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050



Tgt Ion: 75 Resp: 25480
Ion Ratio Lower Upper
75 100
53 89.7 66.8 100.2
89 62.8 35.8 53.6




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#82
4-Chlorotoluene
Concen: 42.799 ug/l
RT: 12.849 min Scan# 1809
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Tgt Ion: 91 Resp: 228271
Ion Ratio Lower Upper
91 100
126 38.2 17.6 52.9









#83
tert-Butylbenzene
Concen: 45.869 ug/l
RT: 13.074 min Scan# 1846
Delta R.T. 0.006 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion:119 Resp: 269754
Ion Ratio Lower Upper
119 100
91 0.0 31.3 93.8
134 54.4 13.4 40.1




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#84
1,2,4-Trimethylbenzene
Concen: 46.798 ug/l
RT: 13.117 min Scan# 1853
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21


Tgt Ion:105 Resp: 297214
Ion Ratio Lower Upper
105 100
120 44.7 23.2 69.6





#85
 sec-Butylbenzene
 Concen: 42.340 ug/l
 RT: 13.251 min Scan# 1875
 Delta R.T. -0.000 min
 Lab File: VY018648.D
 Acq: 20 Jun 2024 10:21




Instrument :
 MSVOA_Y
 ClientSampleId :
 VSTDCCC050




Tgt Ion:105 Resp: 35513
 Ion Ratio Lower Upper
 105 100
 134 22.0 10.1 30.1

Manual Integrations
 APPROVED



Reviewed By :Mahesh Dadoda 06/21/2024
 Supervised By :Semsettin Yesilyurt 06/21/2024




#86
 p-Isopropyltoluene
 Concen: 50.403 ug/l
 RT: 13.367 min Scan# 1894
 Delta R.T. -0.000 min
 Lab File: VY018648.D
 Acq: 20 Jun 2024 10:21



Tgt Ion:119 Resp: 358411
 Ion Ratio Lower Upper
 119 100
 134 24.1 13.1 39.3
 91 19.3 10.7 32.1









#87
 1,3-Dichlorobenzene
 Concen: 46.806 ug/l
 RT: 13.361 min Scan# 1893
 Delta R.T. -0.000 min
 Lab File: VY018648.D
 Acq: 20 Jun 2024 10:21

Instrument :
 MSVOA_Y
 ClientSampleId :
 VSTDCCC050

Tgt Ion:146 Resp: 175049
 Ion Ratio Lower Upper
 146 100
 111 36.4 19.0 57.0
 148 64.4 31.7 95.1




Manual Integrations
 APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
 Supervised By :Semsettin Yesilyurt 06/21/2024



#88
 1,4-Dichlorobenzene
 Concen: 46.991 ug/l
 RT: 13.440 min Scan# 1906
 Delta R.T. -0.000 min
 Lab File: VY018648.D
 Acq: 20 Jun 2024 10:21

Tgt Ion:146 Resp: 172451
 Ion Ratio Lower Upper
 146 100
 111 35.7 18.4 55.4
 148 63.7 32.4 97.2









#89
n-Butylbenzene
Concen: 42.932 ug/l
RT: 13.690 min Scan# 1947
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion: 91 Resp: 275169
Ion Ratio Lower Upper
91 100
92 52.5 26.6 79.7
134 28.9 12.9 38.7




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#90
Hexachloroethane
Concen: 48.824 ug/l
RT: 13.958 min Scan# 1991
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21


Tgt Ion:117 Resp: 63070
Ion Ratio Lower Upper
117 100
201 73.3 37.4 112.2





#91
1,2-Dichlorobenzene
Concen: 48.567 ug/l
RT: 13.733 min Scan# 1954
Delta R.T. -0.000 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050



Tgt Ion:146 Resp: 155160
Ion Ratio Lower Upper
146 100
111 38.2 19.9 59.7
148 64.7 31.8 95.4




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#92
1,2-Dibromo-3-Chloropropane
Concen: 62.158 ug/l
RT: 14.355 min Scan# 2056
Delta R.T. 0.006 min
Lab File: VY018648.D
Acq: 20 Jun 2024 10:21

Tgt Ion: 75 Resp: 12813
Ion Ratio Lower Upper
75 100
155 88.6 48.6 145.8
157 115.6 62.7 188.2





#93

1,2,4-Trichlorobenzene

Concen: 50.006 ug/l

RT: 15.007 min Scan# 2162

Delta R.T. 0.006 min

Lab File: VY018648.D

Acq: 20 Jun 2024 10:21

Instrument :

MSVOA_Y

ClientSampleId :





VSTDCCC050

Tgt Ion:180	Resp:	8900	
Ion Ratio	Lower	Upper	
180	100		
182	95.2	47.9	143.8
145	30.0	14.2	42.6

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#94

Hexachlorobutadiene

Concen: 49.674 ug/l




RT: 15.105 min Scan# 2179


Delta R.T. -0.000 min

Lab File: VY018648.D

Acq: 20 Jun 2024 10:21

Tgt Ion:225	Resp:	45427	
Ion Ratio	Lower	Upper	
225	100		
223	61.1	30.4	91.2
227	63.3	31.9	95.9





#95

Naphthalene

Concen: 58.328 ug/l

RT: 15.233 min Scan# 2200

Delta R.T. -0.000 min

Lab File: VY018648.D

Acq: 20 Jun 2024 10:21

Instrument :

MSVOA_Y

ClientSampleId :





VSTDCCC050

Tgt Ion:	128	Resp:	194000
Ion Ratio	Lower	Upper	
128	100		
127	13.3	10.6	16.0
129	10.9	8.6	13.0

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 06/21/2024
Supervised By :Semsettin Yesilyurt 06/21/2024



#96

1,2,3-Trichlorobenzene

Concen: 51.310 ug/l

RT: 15.422 min Scan# 2231

Delta R.T. -0.000 min

Lab File: VY018648.D

Acq: 20 Jun 2024 10:21

Tgt Ion:	180	Resp:	77162
Ion Ratio	Lower	Upper	
180	100		
182	94.6	47.6	142.9
145	31.1	15.4	46.1

