

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062025\
 Data File : VY022763.D
 Acq On : 20 Jun 2025 14:35
 Operator : SY/MD
 Sample : Q2389-03
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 MH-J-I-VOC

Quant Time: Jun 21 02:40:24 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 10 15:26:14 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	97117	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	184937	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	149983	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	50475	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	57233	52.691	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	105.380%
35) Dibromofluoromethane	7.634	113	56397	51.091	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	102.180%
50) Toluene-d8	10.109	98	224320	50.293	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	100.580%
62) 4-Bromofluorobenzene	12.407	95	52926	39.826	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	79.660%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062025\
Data File : VY022763.D
Acq On : 20 Jun 2025 14:35
Operator : SY/MD
Sample : Q2389-03
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
MH-J-I-VOC

Quant Time: Jun 21 02:40:24 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 10 15:26:14 2025
Response via : Initial Calibration

