

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062025\
 Data File : VY022770.D
 Acq On : 20 Jun 2025 17:52
 Operator : SY/MD
 Sample : Q2381-03
 Misc : 4.75g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VNJ-207

Quant Time: Jun 21 02:43:05 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 10 15:26:14 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	96856	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	180670	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	150542	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	54405	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	58155	53.684	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	107.360%
35) Dibromofluoromethane	7.634	113	56966	52.825	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	105.660%
50) Toluene-d8	10.109	98	218216	50.080	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	100.160%
62) 4-Bromofluorobenzene	12.401	95	56369	43.419	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	86.840%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062025\
Data File : VY022770.D
Acq On : 20 Jun 2025 17:52
Operator : SY/MD
Sample : Q2381-03
Misc : 4.75g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VNJ-207

Quant Time: Jun 21 02:43:05 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 10 15:26:14 2025
Response via : Initial Calibration

