

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062025\
 Data File : VY022771.D
 Acq On : 20 Jun 2025 18:16
 Operator : SY/MD
 Sample : Q2381-05
 Misc : 5.50g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 72-11929

Quant Time: Jun 21 02:43:26 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 10 15:26:14 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	97069	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	182641	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	150205	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	53722	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	57706	53.153	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	106.300%
35) Dibromofluoromethane	7.640	113	55300	50.727	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	101.460%
50) Toluene-d8	10.109	98	216830	49.225	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	98.440%
62) 4-Bromofluorobenzene	12.402	95	54018	41.159	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	82.320%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062025\
Data File : VY022771.D
Acq On : 20 Jun 2025 18:16
Operator : SY/MD
Sample : Q2381-05
Misc : 5.50g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
72-11929

Quant Time: Jun 21 02:43:26 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 10 15:26:14 2025
Response via : Initial Calibration

