

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062325\
 Data File : VY022782.D
 Acq On : 23 Jun 2025 15:54
 Operator : SY/MD
 Sample : VIBLK
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VIBLK

Quant Time: Jun 24 03:10:12 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062325S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 24 03:08:29 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	303233	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.609	114	538905	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	454273	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.340	152	179903	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.055	65	176346	52.106	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	104.220%
35) Dibromofluoromethane	7.628	113	172737	52.706	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	105.420%
50) Toluene-d8	10.103	98	651224	50.075	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	100.140%
62) 4-Bromofluorobenzene	12.401	95	185488	44.368	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	88.740%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062325\
Data File : VY022782.D
Acq On : 23 Jun 2025 15:54
Operator : SY/MD
Sample : VIBLK
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VIBLK

Quant Time: Jun 24 03:10:12 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062325S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 24 03:08:29 2025
Response via : Initial Calibration

