

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062424\
 Data File : VY018671.D
 Acq On : 24 Jun 2024 09:14
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 25 01:05:51 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y061324S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jun 14 07:08:24 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	103	0.00
2 T	Dichlorodifluoromethane	0.329	0.306	7.0	87	0.00
3 P	Chloromethane	0.678	0.610	10.0	76	0.00
4 C	Vinyl Chloride	0.840	0.752	10.5#	78	0.00
5 T	Bromomethane	0.624	0.513	17.8	76	0.00
6 T	Chloroethane	0.550	0.488	11.3	78	0.00
7 T	Trichlorofluoromethane	0.904	0.897	0.8	88	0.00
8 T	Diethyl Ether	0.258	0.245	5.0	80	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.473	0.510	-7.8	97	0.00
10 T	Methyl Iodide	0.515	0.576	-11.8	87	0.00
11 T	Tert butyl alcohol	0.091	0.036	60.4#	56	0.00
12 CM	1,1-Dichloroethene	0.475	0.479	-0.8#	89	0.00
13 T	Acrolein	0.029	0.026	10.3	73	0.00
14 T	Allyl chloride	0.640	0.604	5.6	82	0.00
15 T	Acrylonitrile	0.115	0.103	10.4	77	0.00
16 T	Acetone	0.102	0.129	-26.5#	105	0.00
17 T	Carbon Disulfide	1.266	1.290	-1.9	80	0.00
18 T	Methyl Acetate	0.260	0.250	3.8	75	0.00
19 T	Methyl tert-butyl Ether	1.267	1.156	8.8	80	0.00
20 T	Methylene Chloride	0.854	0.542	36.5#	78	0.00
21 T	trans-1,2-Dichloroethene	0.541	0.529	2.2	86	0.00
22 T	Diisopropyl ether	1.445	1.348	6.7	80	0.00
23 T	Vinyl Acetate	1.042	1.083	-3.9	77	0.00
24 P	1,1-Dichloroethane	0.931	0.873	6.2	83	0.00
25 T	2-Butanone	0.154	0.157	-1.9	85	0.00
26 T	2,2-Dichloropropane	0.785	0.759	3.3	88	0.00
27 T	cis-1,2-Dichloroethene	0.653	0.623	4.6	84	0.00
28 T	Bromochloromethane	0.382	0.338	11.5	111	0.00
29 T	Tetrahydrofuran	0.094	0.085	9.6	75	0.00
30 C	Chloroform	1.015	0.951	6.3#	84	0.00
31 T	Cyclohexane	0.771	0.722	6.4	86	0.00
32 T	1,1,1-Trichloroethane	0.862	0.850	1.4	88	0.00
33 S	1,2-Dichloroethane-d4	0.503	0.504	-0.2	103	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	96	0.00
35 S	Dibromofluoromethane	0.305	0.348	-14.1	110	0.00
36 T	1,1-Dichloropropene	0.420	0.424	-1.0	85	0.00
37 T	Ethyl Acetate	0.198	0.185	6.6	75	0.00
38 T	Carbon Tetrachloride	0.440	0.475	-8.0	91	0.00
39 T	Methylcyclohexane	0.514	0.554	-7.8	87	0.00
40 TM	Benzene	1.298	1.298	0.0	82	0.00
41 T	Methacrylonitrile	0.100	0.093	7.0	76	0.00
42 TM	1,2-Dichloroethane	0.339	0.323	4.7	78	0.00
43 T	Isopropyl Acetate	0.369	0.348	5.7	74	0.00
44 TM	Trichloroethene	0.340	0.360	-5.9	88	0.00
45 C	1,2-Dichloropropane	0.297	0.291	2.0#	81	0.00
46 T	Dibromomethane	0.184	0.183	0.5	81	0.00
47 T	Bromodichloromethane	0.440	0.448	-1.8	83	0.00
48 T	Methyl methacrylate	0.166	0.163	1.8	75	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062424\
 Data File : VY018671.D
 Acq On : 24 Jun 2024 09:14
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 25 01:05:51 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y061324S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jun 14 07:08:24 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	71	0.00
50 S	Toluene-d8	1.173	1.290	-10.0	106	0.00
51 T	4-Methyl-2-Pentanone	0.195	0.186	4.6	74	0.00
52 CM	Toluene	0.834	0.852	-2.2#	83	0.00
53 T	t-1,3-Dichloropropene	0.384	0.407	-6.0	83	0.00
54 T	cis-1,3-Dichloropropene	0.464	0.482	-3.9	84	0.00
55 T	1,1,2-Trichloroethane	0.245	0.247	-0.8	83	0.00
56 T	Ethyl methacrylate	0.321	0.326	-1.6	76	0.00
57 T	1,3-Dichloropropane	0.407	0.406	0.2	80	0.00
58 T	2-Chloroethyl Vinyl ether	0.155	0.153	1.3	87	0.00
59 T	2-Hexanone	0.136	0.146	-7.4	81	0.00
60 T	Dibromochloromethane	0.304	0.329	-8.2	86	0.00
61 T	1,2-Dibromoethane	0.226	0.236	-4.4	82	0.00
62 S	4-Bromofluorobenzene	0.370	0.414	-11.9	103	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	96	0.00
64 T	Tetrachloroethene	0.357	0.375	-5.0	88	0.00
65 PM	Chlorobenzene	1.033	1.054	-2.0	84	0.00
66 T	1,1,1,2-Tetrachloroethane	0.346	0.361	-4.3	86	0.00
67 C	Ethyl Benzene	1.792	1.813	-1.2#	82	0.00
68 T	m/p-Xylenes	0.697	0.720	-3.3	82	0.00
69 T	o-Xylene	0.671	0.691	-3.0	83	0.00
70 T	Styrene	1.108	1.148	-3.6	81	0.00
71 P	Bromoform	0.190	0.208	-9.5	89	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	94	0.00
73 T	Isopropylbenzene	3.651	3.685	-0.9	83	0.00
74 T	N-amyl acetate	0.748	0.717	4.1	72	0.00
75 P	1,1,2,2-Tetrachloroethane	0.648	0.617	4.8	77	0.00
76 T	1,2,3-Trichloropropane	0.469	0.401	14.5	65	0.00
77 T	Bromobenzene	0.844	0.870	-3.1	87	0.00
78 T	n-propylbenzene	4.273	4.289	-0.4	82	0.00
79 T	2-Chlorotoluene	2.412	2.362	2.1	80	0.00
80 T	1,3,5-Trimethylbenzene	2.894	2.896	-0.1	81	0.00
81 T	trans-1,4-Dichloro-2-butene	0.179	0.189	-5.6	77	0.00
82 T	4-Chlorotoluene	2.429	2.314	4.7	78	0.00
83 T	tert-Butylbenzene	2.678	2.734	-2.1	86	0.00
84 T	1,2,4-Trimethylbenzene	2.892	2.837	1.9	79	0.00
85 T	sec-Butylbenzene	3.820	3.841	-0.5	81	0.00
86 T	p-Isopropyltoluene	3.238	3.241	-0.1	81	0.00
87 T	1,3-Dichlorobenzene	1.703	1.717	-0.8	84	0.00
88 T	1,4-Dichlorobenzene	1.671	1.643	1.7	82	0.00
89 T	n-Butylbenzene	2.919	2.866	1.8	79	0.00
90 T	Hexachloroethane	0.588	0.641	-9.0	87	0.00
91 T	1,2-Dichlorobenzene	1.455	1.480	-1.7	83	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.094	0.082	12.8	69	0.00
93 T	1,2,4-Trichlorobenzene	0.811	0.821	-1.2	83	0.00
94 T	Hexachlorobutadiene	0.416	0.451	-8.4	91	0.00
95 T	Naphthalene	1.515	1.484	2.0	75	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062424\
Data File : VY018671.D
Acq On : 24 Jun 2024 09:14
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Jun 25 01:05:51 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y061324S.M
Quant Title : SW846 8260
QLast Update : Fri Jun 14 07:08:24 2024
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.685	0.688	-0.4	83	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6