

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062525\
 Data File : VY022813.D
 Acq On : 25 Jun 2025 10:18
 Operator : SY/MD
 Sample : VY0625SBS01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0625SBS01

Quant Time: Jun 26 01:21:54 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062325S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 24 08:29:52 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	433589	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.610	114	722109	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	625216	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	303331	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	242621	50.136	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 100.280%	
35) Dibromofluoromethane	7.628	113	220103	50.120	ug/l	-0.01
Spiked Amount	50.000	Range	54 - 147	Recovery	= 100.240%	
50) Toluene-d8	10.103	98	890330	51.092	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	= 102.180%	
62) 4-Bromofluorobenzene	12.402	95	278337	49.686	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	= 99.380%	

Target Compounds					Qvalue	
2) Dichlorodifluoromethane	1.861	85	81186	21.897	ug/l	95
3) Chloromethane	2.068	50	135254	19.104	ug/l	97
4) Vinyl Chloride	2.202	62	179649	20.311	ug/l	99
5) Bromomethane	2.586	94	158066	22.731	ug/l	100
6) Chloroethane	2.726	64	120447	20.258	ug/l	99
7) Trichlorofluoromethane	3.050	101	204622	20.893	ug/l	99
8) Diethyl Ether	3.452	74	48452	20.030	ug/l	96
9) 1,1,2-Trichlorotrifluo...	3.812	101	92792	20.732	ug/l	97
10) Methyl Iodide	4.001	142	87122	17.878	ug/l	99
11) Tert butyl alcohol	4.860	59	32380	100.628	ug/l	97
12) 1,1-Dichloroethene	3.781	96	89307	20.349	ug/l	92
13) Acrolein	3.647	56	42800	98.090	ug/l	100
14) Allyl chloride	4.379	41	132935	19.693	ug/l	96
15) Acrylonitrile	5.055	53	100224	99.304	ug/l	100
16) Acetone	3.866	43	118455	129.507	ug/l	98
17) Carbon Disulfide	4.098	76	284304	20.053	ug/l	98
18) Methyl Acetate	4.385	43	55302	18.257	ug/l	98
19) Methyl tert-butyl Ether	5.110	73	243361	20.365	ug/l	98
20) Methylene Chloride	4.610	84	128175	22.190	ug/l	95
21) trans-1,2-Dichloroethene	5.104	96	99994	19.936	ug/l	97
22) Diisopropyl ether	6.012	45	296254	19.762	ug/l	97
23) Vinyl Acetate	5.958	43	846321	102.218	ug/l	96
24) 1,1-Dichloroethane	5.909	63	181309	20.023	ug/l	98
25) 2-Butanone	6.890	43	149586	112.367	ug/l	95
26) 2,2-Dichloropropane	6.878	77	154476	20.351	ug/l	99
27) cis-1,2-Dichloroethene	6.884	96	116946	20.065	ug/l	98
28) Bromochloromethane	7.238	49	74195	19.490	ug/l	91
29) Tetrahydrofuran	7.256	42	83626	99.484	ug/l	97
30) Chloroform	7.415	83	186763	20.025	ug/l	96
31) Cyclohexane	7.695	56	169303	20.368	ug/l	98
32) 1,1,1-Trichloroethane	7.610	97	163141	20.242	ug/l	99
36) 1,1-Dichloropropene	7.829	75	135413	20.343	ug/l	99
37) Ethyl Acetate	6.982	43	59185	20.605	ug/l	98
38) Carbon Tetrachloride	7.817	117	143061	20.369	ug/l	100
39) Methylcyclohexane	9.103	83	177352	20.588	ug/l	99
40) Benzene	8.079	78	411248	20.095	ug/l	98

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062525\
 Data File : VY022813.D
 Acq On : 25 Jun 2025 10:18
 Operator : SY/MD
 Sample : VY0625SBS01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0625SBS01

Quant Time: Jun 26 01:21:54 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062325S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 24 08:29:52 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.220	41	31682	17.917	ug/l	92
42) 1,2-Dichloroethane	8.152	62	114922	20.492	ug/l	99
43) Isopropyl Acetate	8.195	43	120554	20.194	ug/l	98
44) Trichloroethene	8.859	130	107469	20.915	ug/l	100
45) 1,2-Dichloropropane	9.140	63	95404	19.918	ug/l	96
46) Dibromomethane	9.231	93	55489	20.407	ug/l	97
47) Bromodichloromethane	9.420	83	142732	20.357	ug/l	100
48) Methyl methacrylate	9.219	41	56946	19.842	ug/l	93
49) 1,4-Dioxane	9.231	88	13775	428.799	ug/l	94
51) 4-Methyl-2-Pentanone	9.993	43	312167	102.898	ug/l	95
52) Toluene	10.164	92	260309	20.161	ug/l	98
53) t-1,3-Dichloropropene	10.390	75	126276	20.017	ug/l	98
54) cis-1,3-Dichloropropene	9.853	75	148869	20.352	ug/l	97
55) 1,1,2-Trichloroethane	10.566	97	72106	20.479	ug/l	96
56) Ethyl methacrylate	10.438	69	94517	19.953	ug/l	95
57) 1,3-Dichloropropane	10.713	76	123837	20.159	ug/l	100
58) 2-Chloroethyl Vinyl ether	9.707	63	231051	102.647	ug/l	96
59) 2-Hexanone	10.755	43	225152	109.161	ug/l	97
60) Dibromochloromethane	10.908	129	91915	20.211	ug/l	99
61) 1,2-Dibromoethane	11.012	107	65422	19.856	ug/l	99
64) Tetrachloroethene	10.640	164	128793	21.806	ug/l	98
65) Chlorobenzene	11.438	112	273856	19.934	ug/l	96
66) 1,1,1,2-Tetrachloroethane	11.511	131	91854	19.740	ug/l	99
67) Ethyl Benzene	11.518	91	484455	20.071	ug/l	99
68) m/p-Xylenes	11.627	106	371550	39.820	ug/l	98
69) o-Xylene	11.950	106	173353	19.717	ug/l	98
70) Styrene	11.963	104	288868	19.615	ug/l	99
71) Bromoform	12.127	173	50492	19.488	ug/l #	98
73) Isopropylbenzene	12.249	105	454532	20.261	ug/l	99
74) N-amyl acetate	12.066	43	105475	20.947	ug/l	97
75) 1,1,2,2-Tetrachloroethane	12.505	83	68614	18.978	ug/l	100
76) 1,2,3-Trichloropropane	12.554	75	104958	33.893	ug/l #	100
77) Bromobenzene	12.530	156	102271	20.113	ug/l	99
78) n-propylbenzene	12.590	91	554312	20.466	ug/l	98
79) 2-Chlorotoluene	12.676	91	307549	20.098	ug/l	99
80) 1,3,5-Trimethylbenzene	12.731	105	369334	20.394	ug/l	99
81) trans-1,4-Dichloro-2-b...	12.298	75	24529	20.011	ug/l	98
82) 4-Chlorotoluene	12.773	91	317157	19.731	ug/l	99
83) tert-Butylbenzene	12.993	119	332288	20.806	ug/l	99
84) 1,2,4-Trimethylbenzene	13.036	105	362862	20.013	ug/l	100
85) sec-Butylbenzene	13.170	105	495337	20.613	ug/l	99
86) p-Isopropyltoluene	13.285	119	404929	20.249	ug/l	99
87) 1,3-Dichlorobenzene	13.285	146	200924	19.675	ug/l	99
88) 1,4-Dichlorobenzene	13.365	146	202091	19.922	ug/l	99
89) n-Butylbenzene	13.615	91	386027	20.522	ug/l	99
90) Hexachloroethane	13.877	117	81416	20.442	ug/l	95
91) 1,2-Dichlorobenzene	13.657	146	177811	19.758	ug/l	99
92) 1,2-Dibromo-3-Chloropr...	14.273	75	11840	19.311	ug/l	98
93) 1,2,4-Trichlorobenzene	14.913	180	103180	20.306	ug/l	98
94) Hexachlorobutadiene	15.017	225	59479	20.700	ug/l	97
95) Naphthalene	15.139	128	183849	20.008	ug/l	99
96) 1,2,3-Trichlorobenzene	15.322	180	85735	19.526	ug/l	99

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062525\
Data File : VY022813.D
Acq On : 25 Jun 2025 10:18
Operator : SY/MD
Sample : VY0625SBS01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Quant Time: Jun 26 01:21:54 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062325S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 24 08:29:52 2025
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01

Quant Time: Jun 26 01:21:54 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062325S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 24 08:29:52 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.707 min Scan# 91
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion:168 Resp: 433589
Ion Ratio Lower Upper
168 100
99 57.1 44.3 66.5



#2
Dichlorodifluoromethane
Concen: 21.897 ug/l
RT: 1.861 min Scan# 23
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion: 85 Resp: 81186
Ion Ratio Lower Upper
85 100
87 30.5 16.7 50.0









#3
Chloromethane
Concen: 19.104 ug/l
RT: 2.068 min Scan# 51
Delta R.T. -0.000 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion: 50 Resp: 135254
Ion Ratio Lower Upper
50 100
52 34.1 26.0 39.0



#4
Vinyl Chloride
Concen: 20.311 ug/l
RT: 2.202 min Scan# 79
Delta R.T. -0.000 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion: 62 Resp: 179649
Ion Ratio Lower Upper
62 100
64 32.0 25.3 37.9









#5
Bromomethane
Concen: 22.731 ug/l
RT: 2.586 min Scan# 142
Delta R.T. -0.012 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion: 94 Resp: 158066
Ion Ratio Lower Upper
94 100
96 92.5 74.0 111.0



#6
Chloroethane
Concen: 20.258 ug/l
RT: 2.726 min Scan# 165
Delta R.T. -0.012 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion: 64 Resp: 120447
Ion Ratio Lower Upper
64 100
66 30.2 23.8 35.6









#7
 Trichlorofluoromethane
 Concen: 20.893 ug/l
 RT: 3.050 min Scan# 217
 Delta R.T. -0.006 min
 Lab File: VY022813.D
 Acq: 25 Jun 2025 10:18




Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0625SBS01


Tgt Ion:101 Resp: 204622
 Ion Ratio Lower Upper
 101 100
 103 64.1 52.2 78.2



#8
 Diethyl Ether
 Concen: 20.030 ug/l
 RT: 3.452 min Scan# 284
 Delta R.T. -0.012 min
 Lab File: VY022813.D
 Acq: 25 Jun 2025 10:18

Tgt Ion: 74 Resp: 48452
 Ion Ratio Lower Upper
 74 100
 45 87.8 45.9 137.6









#9
1,1,2-Trichlorotrifluoroethane
Concen: 20.732 ug/l
RT: 3.812 min Scan# 34
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion:101 Resp: 92792
Ion Ratio Lower Upper
101 100
85 47.2 39.3 58.9
151 75.4 57.8 86.8



#10
Methyl Iodide
Concen: 17.878 ug/l
RT: 4.001 min Scan# 374
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion:142 Resp: 87122
Ion Ratio Lower Upper
142 100
127 46.9 37.1 55.7
141 14.5 11.4 17.2









#11
Tert butyl alcohol
Concen: 100.628 ug/l
RT: 4.860 min Scan# 515
Delta R.T. -0.025 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion: 59 Resp: 32380
Ion Ratio Lower Upper
59 100
57 9.0 8.0 12.0



#12
1,1-Dichloroethene
Concen: 20.349 ug/l
RT: 3.781 min Scan# 338
Delta R.T. -0.018 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion: 96 Resp: 89307
Ion Ratio Lower Upper
96 100
61 157.4 134.6 201.8
98 57.9 50.2 75.4









#13
Acrolein
Concen: 98.090 ug/l
RT: 3.647 min Scan# 316
Delta R.T. -0.012 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion: 56 Resp: 42800
Ion Ratio Lower Upper
56 100
55 71.0 57.0 85.6



#14
Allyl chloride
Concen: 19.693 ug/l
RT: 4.379 min Scan# 436
Delta R.T. -0.012 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion: 41 Resp: 132935
Ion Ratio Lower Upper
41 100
39 81.6 69.1 103.7
76 41.8 33.5 50.3









#15
Acrylonitrile
Concen: 99.304 ug/l
RT: 5.055 min Scan# 546
Delta R.T. -0.012 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion: 53 Resp: 100224
Ion Ratio Lower Upper
53 100
52 82.4 65.7 98.5
51 38.0 30.1 45.1



#16
Acetone
Concen: 129.507 ug/l
RT: 3.866 min Scan# 352
Delta R.T. -0.012 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion: 43 Resp: 118455
Ion Ratio Lower Upper
43 100
58 31.1 24.0 36.0









#17
Carbon Disulfide
Concen: 20.053 ug/l
RT: 4.098 min Scan# 390
Delta R.T. -0.012 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion: 76 Resp: 284304
Ion Ratio Lower Upper
76 100
78 8.7 7.4 11.2



#18
Methyl Acetate
Concen: 18.257 ug/l
RT: 4.385 min Scan# 437
Delta R.T. -0.012 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion: 43 Resp: 55302
Ion Ratio Lower Upper
43 100
74 25.8 19.8 29.6





#19

Methyl tert-butyl Ether

Concen: 20.365 ug/l

RT: 5.110 min Scan# 51

Delta R.T. -0.018 min

Lab File: VY022813.D

Acq: 25 Jun 2025 10:18

Instrument :

MSVOA_Y

ClientSampleId :





VY0625SBS01

Tgt Ion: 73 Resp: 243361

Ion Ratio Lower Upper

73 100

57 20.7 17.4 26.0



#20

Methylene Chloride

Concen: 22.190 ug/l

RT: 4.610 min Scan# 474

Delta R.T. -0.012 min

Lab File: VY022813.D

Acq: 25 Jun 2025 10:18

Tgt Ion: 84 Resp: 128175




Ion Ratio Lower Upper


84 100

49 117.4 101.9 152.9

51 37.4 29.8 44.8

86 64.9 51.3 76.9









#21
trans-1,2-Dichloroethene
Concen: 19.936 ug/l
RT: 5.104 min Scan# 51
Delta R.T. -0.018 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion: 96 Resp: 99994
Ion Ratio Lower Upper
96 100
61 142.4 112.6 169.0
98 67.4 50.6 75.8



#22
Diisopropyl ether
Concen: 19.762 ug/l
RT: 6.012 min Scan# 704
Delta R.T. -0.012 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion: 45 Resp: 296254
Ion Ratio Lower Upper
45 100
43 63.2 48.3 72.5
87 28.3 23.0 34.6
59 12.4 9.4 14.0









#23
 Vinyl Acetate
 Concen: 102.218 ug/l
 RT: 5.958 min Scan# 694
 Delta R.T. -0.012 min
 Lab File: VY022813.D
 Acq: 25 Jun 2025 10:18




Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0625SBS01


Tgt Ion: 43 Resp: 846321
 Ion Ratio Lower Upper
 43 100
 86 12.2 8.6 12.8



#24
 1,1-Dichloroethane
 Concen: 20.023 ug/l
 RT: 5.909 min Scan# 687
 Delta R.T. -0.012 min
 Lab File: VY022813.D
 Acq: 25 Jun 2025 10:18

Tgt Ion: 63 Resp: 181309
 Ion Ratio Lower Upper
 63 100
 98 7.2 3.4 10.1
 100 5.0 2.1 6.3









#25
2-Butanone
Concen: 112.367 ug/l
RT: 6.890 min Scan# 848
Delta R.T. -0.012 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion: 43 Resp: 149586
Ion Ratio Lower Upper
43 100
72 31.3 22.9 34.3



#26
2,2-Dichloropropane
Concen: 20.351 ug/l
RT: 6.878 min Scan# 846
Delta R.T. -0.012 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion: 77 Resp: 154476
Ion Ratio Lower Upper
77 100
97 22.4 11.4 34.2









#27
 cis-1,2-Dichloroethene
 Concen: 20.065 ug/l
 RT: 6.884 min Scan# 847
 Delta R.T. -0.012 min
 Lab File: VY022813.D
 Acq: 25 Jun 2025 10:18




Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0625SBS01


Tgt Ion: 96 Resp: 116946
 Ion Ratio Lower Upper
 96 100
 61 142.4 0.0 290.0
 98 63.3 0.0 128.4



#28
 Bromochloromethane
 Concen: 19.490 ug/l
 RT: 7.238 min Scan# 905
 Delta R.T. -0.012 min
 Lab File: VY022813.D
 Acq: 25 Jun 2025 10:18

Tgt Ion: 49 Resp: 74195
 Ion Ratio Lower Upper
 49 100
 129 2.0 0.0 3.6
 130 77.2 55.7 83.5





#29

Tetrahydrofuran

Concen: 99.484 ug/l

RT: 7.256 min Scan# 908

Delta R.T. -0.012 min

Lab File: VY022813.D

Acq: 25 Jun 2025 10:18

Instrument :

MSVOA_Y

ClientSampleId :

VY0625SBS01





Tgt Ion: 42 Resp: 83626

Ion Ratio Lower Upper

42 100

72 48.3 37.4 56.2

71 45.5 34.2 51.2



#30

Chloroform

Concen: 20.025 ug/l

RT: 7.415 min Scan# 934

Delta R.T. -0.012 min

Lab File: VY022813.D




Acq: 25 Jun 2025 10:18


Tgt Ion: 83 Resp: 186763

Ion Ratio Lower Upper

83 100

85 64.3 54.2 81.4









#31
Cyclohexane
Concen: 20.368 ug/l
RT: 7.695 min Scan# 980
Delta R.T. -0.012 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion: 56 Resp: 169303
Ion Ratio Lower Upper
56 100
69 36.8 27.0 40.6
84 91.1 72.6 109.0



#32
1,1,1-Trichloroethane
Concen: 20.242 ug/l
RT: 7.610 min Scan# 966
Delta R.T. -0.012 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion: 97 Resp: 163141
Ion Ratio Lower Upper
97 100
99 63.9 50.9 76.3
61 46.7 38.5 57.7





#33

1,2-Dichloroethane-d4

Concen: 50.136 ug/l

RT: 8.061 min Scan# 1039

Delta R.T. -0.006 min

Lab File: VY022813.D

Acq: 25 Jun 2025 10:18

Instrument :

MSVOA_Y

ClientSampleId :





VY0625SBS01

Tgt Ion: 65 Resp: 242621

Ion Ratio Lower Upper

65 100

67 52.3 0.0 103.4



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.610 min Scan# 1130

Delta R.T. -0.006 min

Lab File: VY022813.D

Acq: 25 Jun 2025 10:18




Tgt Ion: 114 Resp: 722109


Ion Ratio Lower Upper

114 100

63 20.7 0.0 40.8

88 15.1 0.0 27.8









#35
Dibromofluoromethane
Concen: 50.120 ug/l
RT: 7.628 min Scan# 910
Delta R.T. -0.012 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion:113 Resp: 220103
Ion Ratio Lower Upper
113 100
111 101.5 81.1 121.7
192 19.2 14.2 21.2



#36
1,1-Dichloropropene
Concen: 20.343 ug/l
RT: 7.829 min Scan# 1002
Delta R.T. -0.012 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion: 75 Resp: 135413
Ion Ratio Lower Upper
75 100
110 34.2 16.9 50.7
77 31.5 24.8 37.2





#37

Ethyl Acetate

Concen: 20.605 ug/l

RT: 6.982 min Scan# 80

Delta R.T. -0.012 min

Lab File: VY022813.D

Acq: 25 Jun 2025 10:18

Instrument :

MSVOA_Y

ClientSampleId :

VY0625SBS01





Tgt Ion: 43 Resp: 59185

Ion Ratio Lower Upper

43 100

61 14.3 11.5 17.3

70 10.5 7.2 10.8



#38

Carbon Tetrachloride

Concen: 20.369 ug/l

RT: 7.817 min Scan# 1000

Delta R.T. -0.006 min

Lab File: VY022813.D

Acq: 25 Jun 2025 10:18




Tgt Ion: 117 Resp: 143061


Ion Ratio Lower Upper

117 100

119 93.8 75.0 112.6

121 31.4 25.0 37.4





#39

Methylcyclohexane

Concen: 20.588 ug/l

RT: 9.103 min Scan# 1

Delta R.T. -0.012 min

Lab File: VY022813.D

Acq: 25 Jun 2025 10:18

Instrument :

MSVOA_Y

ClientSampleId :

VY0625SBS01





Tgt Ion: 83 Resp: 177352

Ion Ratio Lower Upper

83 100

55 72.2 58.1 87.1

98 47.1 39.0 58.6



#40

Benzene

Concen: 20.095 ug/l

RT: 8.079 min Scan# 1043

Delta R.T. -0.006 min

Lab File: VY022813.D




Acq: 25 Jun 2025 10:18


Tgt Ion: 78 Resp: 411248

Ion Ratio Lower Upper

78 100

77 25.0 19.3 28.9









#41
Methacrylonitrile
Concen: 17.917 ug/l
RT: 7.220 min Scan# 901
Delta R.T. -0.012 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion: 41	Resp: 31682
Ion Ratio	Lower Upper
41 100	
39 47.5	46.6 69.8
67 84.3	63.3 94.9
52 35.7	27.5 41.3



#42
1,2-Dichloroethane
Concen: 20.492 ug/l
RT: 8.152 min Scan# 1055
Delta R.T. -0.012 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion: 62	Resp: 114922
Ion Ratio	Lower Upper
62 100	
98 9.3	0.0 19.2









#43
Isopropyl Acetate
Concen: 20.194 ug/l
RT: 8.195 min Scan# 1062
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion: 43 Resp: 120554
Ion Ratio Lower Upper
43 100
61 20.0 15.6 23.4
87 13.7 10.2 15.4



#44
Trichloroethene
Concen: 20.915 ug/l
RT: 8.859 min Scan# 1171
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion:130 Resp: 107469
Ion Ratio Lower Upper
130 100
95 101.1 0.0 203.0









#45
1,2-Dichloropropane
Concen: 19.918 ug/l
RT: 9.140 min Scan# 1217
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion: 63 Resp: 95404
Ion Ratio Lower Upper
63 100
65 27.8 24.0 36.0



#46
Dibromomethane
Concen: 20.407 ug/l
RT: 9.231 min Scan# 1232
Delta R.T. -0.000 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion: 93 Resp: 55489
Ion Ratio Lower Upper
93 100
95 82.5 65.6 98.4
174 92.4 70.4 105.6









#47
Bromodichloromethane
Concen: 20.357 ug/l
RT: 9.420 min Scan# 1263
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion: 83 Resp: 142732
Ion Ratio Lower Upper
83 100
85 61.5 49.1 73.7
127 7.7 6.2 9.4



#48
Methyl methacrylate
Concen: 19.842 ug/l
RT: 9.219 min Scan# 1230
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion: 41 Resp: 56946
Ion Ratio Lower Upper
41 100
69 91.7 67.8 101.8
39 64.1 55.0 82.4





#49

1,4-Dioxane

Concen: 428.799 ug/l

RT: 9.231 min Scan# 1232

Delta R.T. -0.012 min

Lab File: VY022813.D

Acq: 25 Jun 2025 10:18

Instrument :

MSVOA_Y

ClientSampleId :

VY0625SBS01





Tgt Ion: 88 Resp: 13775

Ion Ratio Lower Upper

88 100

43 27.7 25.4 38.2

58 64.3 54.9 82.3



#50

Toluene-d8

Concen: 51.092 ug/l

RT: 10.103 min Scan# 1375

Delta R.T. -0.006 min

Lab File: VY022813.D




Acq: 25 Jun 2025 10:18


Tgt Ion: 98 Resp: 890330

Ion Ratio Lower Upper

98 100

100 63.6 51.4 77.0









#51
4-Methyl-2-Pentanone
Concen: 102.898 ug/l
RT: 9.993 min Scan# 1357
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion: 43 Resp: 312167
Ion Ratio Lower Upper
43 100
58 40.7 30.4 45.6



#52
Toluene
Concen: 20.161 ug/l
RT: 10.164 min Scan# 1385
Delta R.T. -0.012 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion: 92 Resp: 260309
Ion Ratio Lower Upper
92 100
91 170.7 139.0 208.4









#53
t-1,3-Dichloropropene
Concen: 20.017 ug/l
RT: 10.390 min Scan# 1422
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion: 75 Resp: 126276
Ion Ratio Lower Upper
75 100
77 32.0 26.5 39.7



#54
cis-1,3-Dichloropropene
Concen: 20.352 ug/l
RT: 9.853 min Scan# 1334
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion: 75 Resp: 148869
Ion Ratio Lower Upper
75 100
77 32.4 25.3 37.9
39 50.7 42.7 64.1









#55
1,1,2-Trichloroethane
Concen: 20.479 ug/l
RT: 10.566 min Scan# 1451
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01

Tgt Ion: 97 Resp: 72106




Ion	Ratio	Lower	Upper
97	100		
83	87.6	68.1	102.1
85	54.8	48.2	72.2
99	60.8	49.5	74.3




#56
Ethyl methacrylate
Concen: 19.953 ug/l
RT: 10.438 min Scan# 1430
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion: 69 Resp: 94517

Ion	Ratio	Lower	Upper
69	100		
41	63.0	52.2	78.2
39	40.2	36.7	55.1









#57
1,3-Dichloropropane
Concen: 20.159 ug/l
RT: 10.713 min Scan# 1475
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion: 76 Resp: 123837
Ion Ratio Lower Upper
76 100
78 32.6 25.8 38.8



#58
2-Chloroethyl Vinyl ether
Concen: 102.647 ug/l
RT: 9.707 min Scan# 1310
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion: 63 Resp: 231051
Ion Ratio Lower Upper
63 100
106 28.9 21.6 32.4









#59
2-Hexanone
Concen: 109.161 ug/l
RT: 10.755 min Scan# 1482
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion: 43 Resp: 225152
Ion Ratio Lower Upper
43 100
58 56.4 27.3 81.8



#60
Dibromochloromethane
Concen: 20.211 ug/l
RT: 10.908 min Scan# 1507
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion: 129 Resp: 91915
Ion Ratio Lower Upper
129 100
127 76.9 39.1 117.2









#61
1,2-Dibromoethane
Concen: 19.856 ug/l
RT: 11.012 min Scan# 1524
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion:107 Resp: 65422
Ion Ratio Lower Upper
107 100
109 97.6 77.7 116.5



#62
4-Bromofluorobenzene
Concen: 49.686 ug/l
RT: 12.402 min Scan# 1752
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion: 95 Resp: 278337
Ion Ratio Lower Upper
95 100
174 83.1 0.0 170.0
176 80.3 0.0 166.2









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.414 min Scan# 11
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion:117 Resp: 625216
Ion Ratio Lower Upper
117 100
82 55.6 44.6 66.8
119 31.3 25.4 38.0



#64
Tetrachloroethene
Concen: 21.806 ug/l
RT: 10.640 min Scan# 1463
Delta R.T. -0.012 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion:164 Resp: 128793
Ion Ratio Lower Upper
164 100
166 127.7 104.0 156.0
129 94.9 74.5 111.7
131 88.0 72.3 108.5









#65
Chlorobenzene
Concen: 19.934 ug/l
RT: 11.438 min Scan# 1594
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion:112 Resp: 273856
Ion Ratio Lower Upper
112 100
114 33.5 25.0 37.6



#66
1,1,1,2-Tetrachloroethane
Concen: 19.740 ug/l
RT: 11.511 min Scan# 1606
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion:131 Resp: 91854
Ion Ratio Lower Upper
131 100
133 95.2 47.3 141.8
119 65.9 33.1 99.3





#67

Ethyl Benzene

Concen: 20.071 ug/l

RT: 11.518 min Scan# 1607

Delta R.T. -0.000 min

Lab File: VY022813.D

Acq: 25 Jun 2025 10:18

Instrument :

MSVOA_Y

ClientSampleId :





VY0625SBS01

Tgt Ion: 91 Resp: 484455

Ion Ratio Lower Upper

91 100

106 31.1 24.2 36.4



#68

m/p-Xylenes

Concen: 39.820 ug/l

RT: 11.627 min Scan# 1625

Delta R.T. -0.006 min

Lab File: VY022813.D




Acq: 25 Jun 2025 10:18


Tgt Ion:106 Resp: 371550

Ion Ratio Lower Upper

106 100

91 201.7 159.4 239.0









#69
o-Xylene
Concen: 19.717 ug/l
RT: 11.950 min Scan# 1678
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion:106 Resp: 173353
Ion Ratio Lower Upper
106 100
91 215.1 105.8 317.3



#70
Styrene
Concen: 19.615 ug/l
RT: 11.963 min Scan# 1680
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion:104 Resp: 288868
Ion Ratio Lower Upper
104 100
78 50.0 39.5 59.3
103 54.8 44.1 66.1





#71

Bromoform

Concen: 19.488 ug/l

RT: 12.127 min Scan# 11

Delta R.T. -0.006 min

Lab File: VY022813.D

Acq: 25 Jun 2025 10:18

Instrument :

MSVOA_Y

ClientSampleId :

VY0625SBS01





Tgt Ion:173 Resp: 50492

Ion Ratio Lower Upper

173 100

175 49.1 23.8 71.5

254 0.1 0.0 0.0#



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.346 min Scan# 1907

Delta R.T. -0.000 min

Lab File: VY022813.D

Acq: 25 Jun 2025 10:18




Tgt Ion:152 Resp: 303331


Ion Ratio Lower Upper

152 100

115 58.2 28.9 86.7

150 163.2 0.0 349.6









#73
Isopropylbenzene
Concen: 20.261 ug/l
RT: 12.249 min Scan# 11
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion:105 Resp: 454532
Ion Ratio Lower Upper
105 100
120 26.6 13.0 38.9



#74
N-ethyl acetate
Concen: 20.947 ug/l
RT: 12.066 min Scan# 1697
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion: 43 Resp: 105475
Ion Ratio Lower Upper
43 100
70 44.5 34.2 51.2
55 25.0 18.2 27.4
61 24.9 19.0 28.6









#75
 1,1,2,2-Tetrachloroethane
 Concen: 18.978 ug/l
 RT: 12.505 min Scan# 1769
 Delta R.T. -0.000 min
 Lab File: VY022813.D
 Acq: 25 Jun 2025 10:18




Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0625SBS01


Tgt Ion: 83 Resp: 68614
 Ion Ratio Lower Upper
 83 100
 131 10.1 4.9 14.7
 85 65.1 32.6 97.8



#76
 1,2,3-Trichloropropane
 Concen: 33.893 ug/l
 RT: 12.554 min Scan# 1777
 Delta R.T. -0.000 min
 Lab File: VY022813.D
 Acq: 25 Jun 2025 10:18

Tgt Ion: 75 Resp: 104958
 Ion Ratio Lower Upper
 75 100
 77 0.0 0.0 0.0









#77
Bromobenzene
Concen: 20.113 ug/l
RT: 12.530 min Scan# 1773
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion:156 Resp: 102271
Ion Ratio Lower Upper
156 100
77 186.9 94.0 282.1
158 96.5 48.2 144.6



#78
n-propylbenzene
Concen: 20.466 ug/l
RT: 12.590 min Scan# 1783
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion: 91 Resp: 554312
Ion Ratio Lower Upper
91 100
120 22.4 10.8 32.4









#79
2-Chlorotoluene
Concen: 20.098 ug/l
RT: 12.676 min Scan# 1797
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion: 91 Resp: 307549
Ion Ratio Lower Upper
91 100
126 34.5 17.0 51.0



#80
1,3,5-Trimethylbenzene
Concen: 20.394 ug/l
RT: 12.731 min Scan# 1806
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion: 105 Resp: 369334
Ion Ratio Lower Upper
105 100
120 48.6 24.1 72.4









#81
trans-1,4-Dichloro-2-butene
Concen: 20.011 ug/l
RT: 12.298 min Scan# 1735
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0625SBS01


Tgt Ion: 75 Resp: 24529
Ion Ratio Lower Upper
75 100
53 99.2 78.5 117.7
89 46.2 35.7 53.5



#82
4-Chlorotoluene
Concen: 19.731 ug/l
RT: 12.773 min Scan# 1813
Delta R.T. -0.006 min
Lab File: VY022813.D
Acq: 25 Jun 2025 10:18

Tgt Ion: 91 Resp: 317157
Ion Ratio Lower Upper
91 100
126 34.3 17.0 50.9





#83

tert-Butylbenzene

Concen: 20.806 ug/l

RT: 12.993 min Scan# 1849

Delta R.T. -0.006 min

Lab File: VY022813.D

Acq: 25 Jun 2025 10:18

Instrument :

MSVOA_Y

ClientSampleId :

VY0625SBS01





Tgt Ion:119 Resp: 332288

Ion Ratio Lower Upper

119 100

91 63.9 32.1 96.3

134 24.7 13.0 38.9



#84

1,2,4-Trimethylbenzene

Concen: 20.013 ug/l

RT: 13.036 min Scan# 1856

Delta R.T. -0.006 min

Lab File: VY022813.D




Acq: 25 Jun 2025 10:18


Tgt Ion:105 Resp: 362862

Ion Ratio Lower Upper

105 100

120 45.5 22.7 68.1





#85

sec-Butylbenzene

Concen: 20.613 ug/l

RT: 13.170 min Scan# 1878

Delta R.T. -0.006 min

Lab File: VY022813.D

Acq: 25 Jun 2025 10:18

Instrument :

MSVOA_Y

ClientSampleId :





VY0625SBS01

Tgt Ion:105 Resp: 495337

Ion Ratio Lower Upper

105 100

134 19.6 9.7 28.9



#86

p-Isopropyltoluene

Concen: 20.249 ug/l

RT: 13.285 min Scan# 1897

Delta R.T. -0.006 min

Lab File: VY022813.D

Acq: 25 Jun 2025 10:18




Tgt Ion:119 Resp: 404929


Ion Ratio Lower Upper

119 100

134 25.8 13.1 39.1

91 23.5 11.6 34.8





#87

1,3-Dichlorobenzene

Concen: 19.675 ug/l

RT: 13.285 min Scan# 11

Delta R.T. -0.006 min

Lab File: VY022813.D

Acq: 25 Jun 2025 10:18

Instrument :

MSVOA_Y

ClientSampleId :

VY0625SBS01





Tgt Ion:146 Resp: 200924

Ion Ratio Lower Upper

146 100

111 39.7 20.1 60.2

148 63.6 32.1 96.3



#88

1,4-Dichlorobenzene

Concen: 19.922 ug/l

RT: 13.365 min Scan# 1910

Delta R.T. -0.006 min

Lab File: VY022813.D

Acq: 25 Jun 2025 10:18




Tgt Ion:146 Resp: 202091


Ion Ratio Lower Upper

146 100

111 39.8 19.4 58.2

148 63.4 31.6 94.8





#89

n-Butylbenzene

Concen: 20.522 ug/l

RT: 13.615 min Scan# 1950

Delta R.T. -0.006 min

Lab File: VY022813.D

Acq: 25 Jun 2025 10:18

Instrument :

MSVOA_Y

ClientSampleId :

VY0625SBS01





Tgt Ion: 91 Resp: 386027

Ion Ratio Lower Upper

91 100

92 52.8 25.9 77.8

134 24.6 12.0 36.1



#90

Hexachloroethane

Concen: 20.442 ug/l

RT: 13.877 min Scan# 1994

Delta R.T. -0.006 min

Lab File: VY022813.D




Acq: 25 Jun 2025 10:18


Tgt Ion: 117 Resp: 81416

Ion Ratio Lower Upper

117 100

201 72.0 34.0 102.0





#91

1,2-Dichlorobenzene

Concen: 19.758 ug/l

RT: 13.657 min Scan# 1957

Delta R.T. -0.000 min

Lab File: VY022813.D

Acq: 25 Jun 2025 10:18

Instrument :

MSVOA_Y

ClientSampleId :

VY0625SBS01





Tgt Ion:146 Resp: 177811

Ion Ratio Lower Upper

146 100

111 41.1 20.2 60.6

148 63.4 31.4 94.0



#92

1,2-Dibromo-3-Chloropropane

Concen: 19.311 ug/l

RT: 14.273 min Scan# 2059

Delta R.T. -0.000 min

Lab File: VY022813.D

Acq: 25 Jun 2025 10:18




Tgt Ion: 75 Resp: 11840


Ion Ratio Lower Upper

75 100

155 83.3 39.9 119.6

157 108.0 54.0 162.0





#93

1,2,4-Trichlorobenzene

Concen: 20.306 ug/l

RT: 14.913 min Scan# 2164

Delta R.T. -0.006 min

Lab File: VY022813.D

Acq: 25 Jun 2025 10:18

Instrument :

MSVOA_Y

ClientSampleId :

VY0625SBS01





Tgt Ion:180 Resp: 103180

Ion Ratio Lower Upper

180 100

182 93.7 48.4 145.3

145 30.9 15.5 46.5



#94

Hexachlorobutadiene

Concen: 20.700 ug/l

RT: 15.017 min Scan# 2181

Delta R.T. -0.006 min

Lab File: VY022813.D

Acq: 25 Jun 2025 10:18




Tgt Ion:225 Resp: 59479


Ion Ratio Lower Upper

225 100

223 59.9 32.5 97.4

227 65.0 32.3 96.9





#95

Naphthalene

Concen: 20.008 ug/l

RT: 15.139 min Scan# 2201

Delta R.T. -0.006 min

Lab File: VY022813.D

Acq: 25 Jun 2025 10:18

Instrument :

MSVOA_Y

ClientSampleId :

VY0625SBS01





Tgt Ion:128 Resp: 183849

Ion Ratio Lower Upper

128 100

127 12.7 10.4 15.6

129 10.6 8.9 13.3



#96

1,2,3-Trichlorobenzene

Concen: 19.526 ug/l

RT: 15.322 min Scan# 2231

Delta R.T. -0.006 min

Lab File: VY022813.D

Acq: 25 Jun 2025 10:18

Tgt Ion:180 Resp: 85735

Ion Ratio Lower Upper

180 100

182 95.5 47.1 141.3

145 31.0 15.2 45.6

