

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062525\
 Data File : VY022835.D
 Acq On : 25 Jun 2025 19:13
 Operator : SY/MD
 Sample : VIBLK
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VIBLK

Quant Time: Jun 26 01:30:30 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062325S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 24 08:29:52 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	422486	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.610	114	770076	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	709020	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.340	152	309647	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	224309	47.570	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	95.140%
35) Dibromofluoromethane	7.628	113	228451	48.781	ug/l	-0.01
Spiked Amount	50.000	Range	54 - 147	Recovery	=	97.560%
50) Toluene-d8	10.103	98	930503	50.071	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	100.140%
62) 4-Bromofluorobenzene	12.402	95	310096	51.907	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	103.820%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062525\
Data File : VY022835.D
Acq On : 25 Jun 2025 19:13
Operator : SY/MD
Sample : VIBLK
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VIBLK

Quant Time: Jun 26 01:30:30 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062325S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 24 08:29:52 2025
Response via : Initial Calibration

