

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY070125\
 Data File : VY022892.D
 Acq On : 01 Jul 2025 11:05
 Operator : SY/MD
 Sample : VY0701SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0701SBL01

Quant Time: Jul 02 02:43:05 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062325S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 24 08:29:52 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	323968	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	617486	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	600262	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	258497	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	188872	52.235	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	104.480%
35) Dibromofluoromethane	7.634	113	189629	50.497	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	101.000%
50) Toluene-d8	10.103	98	751174	50.410	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	100.820%
62) 4-Bromofluorobenzene	12.401	95	266412	55.615	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	111.220%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY070125\
Data File : VY022892.D
Acq On : 01 Jul 2025 11:05
Operator : SY/MD
Sample : VY0701SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0701SBL01

Quant Time: Jul 02 02:43:05 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062325S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 24 08:29:52 2025
Response via : Initial Calibration

