

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY070225\
 Data File : VY022909.D
 Acq On : 02 Jul 2025 13:59
 Operator : SY/MD
 Sample : Q2478-03
 Misc : 5.10g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 WC-1-VOC

Quant Time: Jul 03 02:21:52 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062325S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 24 08:29:52 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	312576	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	584710	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	595964	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	263300	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	187786	53.827	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	107.660%
35) Dibromofluoromethane	7.634	113	186170	52.355	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	104.700%
50) Toluene-d8	10.103	98	727046	51.526	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	103.060%
62) 4-Bromofluorobenzene	12.402	95	265426	58.515	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	117.020%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY070225\
Data File : VY022909.D
Acq On : 02 Jul 2025 13:59
Operator : SY/MD
Sample : Q2478-03
Misc : 5.10g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
WC-1-VOC

Quant Time: Jul 03 02:21:52 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062325S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 24 08:29:52 2025
Response via : Initial Calibration

