

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY070225\
 Data File : VY022917.D
 Acq On : 02 Jul 2025 17:07
 Operator : SY/MD
 Sample : Q2473-01
 Misc : 5.04g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 PIT#1

Quant Time: Jul 03 02:25:17 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062325S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 24 08:29:52 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	279065	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	534952	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	530195	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	216048	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	171013	54.906	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 109.820%	
35) Dibromofluoromethane	7.634	113	156029	47.960	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 95.920%	
50) Toluene-d8	10.103	98	665393	51.542	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	= 103.080%	
62) 4-Bromofluorobenzene	12.401	95	222511	53.617	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	= 107.240%	
Target Compounds						
16) Acetone	3.872	43	4826	8.198	ug/l	Qvalue 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY070225\
Data File : VY022917.D
Acq On : 02 Jul 2025 17:07
Operator : SY/MD
Sample : Q2473-01
Misc : 5.04g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
PIT#1

Quant Time: Jul 03 02:25:17 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062325S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 24 08:29:52 2025
Response via : Initial Calibration

