

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY070225\
 Data File : VY022910.D
 Acq On : 02 Jul 2025 14:23
 Operator : SY/MD
 Sample : Q2475-01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SOIL-PILE

Quant Time: Jul 03 02:22:16 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062325S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 24 08:29:52 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	305677	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	581654	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	583667	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	250999	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	177801	52.116	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	104.240%
35) Dibromofluoromethane	7.634	113	183147	51.775	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	103.560%
50) Toluene-d8	10.103	98	717302	51.102	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	102.200%
62) 4-Bromofluorobenzene	12.402	95	255997	56.733	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	113.460%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY070225\
Data File : VY022910.D
Acq On : 02 Jul 2025 14:23
Operator : SY/MD
Sample : Q2475-01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SOIL-PILE

Quant Time: Jul 03 02:22:16 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062325S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 24 08:29:52 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.707 min Scan# 91
Delta R.T. -0.006 min
Lab File: VY022910.D
Acq: 02 Jul 2025 14:23




Instrument :
MSVOA_Y
ClientSampleId :
SOIL-PILE


Tgt Ion:168 Resp: 305677
Ion Ratio Lower Upper
168 100
99 57.7 44.3 66.5



#33
1,2-Dichloroethane-d4
Concen: 52.116 ug/l
RT: 8.061 min Scan# 1040
Delta R.T. -0.006 min
Lab File: VY022910.D
Acq: 02 Jul 2025 14:23

Tgt Ion: 65 Resp: 177801
Ion Ratio Lower Upper
65 100
67 50.3 0.0 103.4





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.616 min Scan# 1131

Delta R.T. 0.000 min

Lab File: VY022910.D

Acq: 02 Jul 2025 14:23

Instrument :

MSVOA_Y

ClientSampleId :

SOIL-PILE





Tgt Ion:114 Resp: 581654

Ion Ratio Lower Upper

114 100

63 19.7 0.0 40.8

88 15.1 0.0 27.8



#35

Dibromofluoromethane

Concen: 51.775 ug/l

RT: 7.634 min Scan# 970

Delta R.T. -0.006 min

Lab File: VY022910.D

Acq: 02 Jul 2025 14:23




Tgt Ion:113 Resp: 183147


Ion Ratio Lower Upper

113 100

111 103.7 81.1 121.7

192 18.3 14.2 21.2









#50
Toluene-d8
Concen: 51.102 ug/l
RT: 10.103 min Scan# 1375
Delta R.T. -0.006 min
Lab File: VY022910.D
Acq: 02 Jul 2025 14:23




Instrument :
MSVOA_Y
ClientSampleId :
SOIL-PILE


Tgt Ion: 98 Resp: 717302
Ion Ratio Lower Upper
98 100
100 65.2 51.4 77.0



#62
4-Bromofluorobenzene
Concen: 56.733 ug/l
RT: 12.402 min Scan# 1752
Delta R.T. -0.006 min
Lab File: VY022910.D
Acq: 02 Jul 2025 14:23

Tgt Ion: 95 Resp: 255997
Ion Ratio Lower Upper
95 100
174 83.1 0.0 170.0
176 80.0 0.0 166.2





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.414 min Scan# 11

Delta R.T. -0.006 min

Lab File: VY022910.D

Acq: 02 Jul 2025 14:23

Instrument :

MSVOA_Y

ClientSampleId :

SOIL-PILE





Tgt Ion:117 Resp: 583667

Ion Ratio Lower Upper

117 100

82 56.3 44.6 66.8

119 31.2 25.4 38.0



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.347 min Scan# 1907

Delta R.T. 0.000 min

Lab File: VY022910.D

Acq: 02 Jul 2025 14:23

Tgt Ion:152 Resp: 250999

Ion Ratio Lower Upper

152 100

115 57.6 28.9 86.7

150 157.3 0.0 349.6

