

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY070325\
 Data File : VY022936.D
 Acq On : 03 Jul 2025 12:39
 Operator : SY/MD
 Sample : Q2473-04RE
 Misc : 7.27g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 PIT#4RE

Quant Time: Jul 04 03:18:33 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062325S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 24 08:29:52 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	95586	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	165245	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	149379	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	56106	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	52063	48.801	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	97.600%
35) Dibromofluoromethane	7.634	113	31217	31.064	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	62.120%
50) Toluene-d8	10.103	98	195347	48.987	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	97.980%
62) 4-Bromofluorobenzene	12.408	95	59387	46.326	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	92.660%
Target Compounds						
16) Acetone	3.860	43	10436	51.756	ug/l	Qvalue # 88

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY070325\
Data File : VY022936.D
Acq On : 03 Jul 2025 12:39
Operator : SY/MD
Sample : Q2473-04RE
Misc : 7.27g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
PIT#4RE

Quant Time: Jul 04 03:18:33 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062325S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 24 08:29:52 2025
Response via : Initial Calibration

