

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY070325\
 Data File : VY022941.D
 Acq On : 03 Jul 2025 14:36
 Operator : SY/MD
 Sample : Q2487-04
 Misc : 5.77g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 G3(3)

Quant Time: Jul 07 08:22:30 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062325S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 24 08:29:52 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	293406	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	553186	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	524066	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	206599	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	160756	49.090	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	98.180%
35) Dibromofluoromethane	7.634	113	170721	50.746	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	101.500%
50) Toluene-d8	10.103	98	674231	50.505	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	101.020%
62) 4-Bromofluorobenzene	12.402	95	218285	50.865	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	101.720%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY070325\
Data File : VY022941.D
Acq On : 03 Jul 2025 14:36
Operator : SY/MD
Sample : Q2487-04
Misc : 5.77g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
G3(3)

Quant Time: Jul 07 08:22:30 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062325S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 24 08:29:52 2025
Response via : Initial Calibration

