

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY070825\
 Data File : VY022978.D
 Acq On : 08 Jul 2025 16:13
 Operator : SY/MD
 Sample : Q2514-06
 Misc : 3.74g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-103

Quant Time: Jul 09 02:33:35 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062325S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 24 08:29:52 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	260060	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	419648	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.413	117	329265	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	112145	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.060	65	75794	26.113	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	52.220%
35) Dibromofluoromethane	7.634	113	100178	39.253	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	78.500%
50) Toluene-d8	10.103	98	490122	48.397	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	96.800%
62) 4-Bromofluorobenzene	12.401	95	122013	37.479	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	74.960%
Target Compounds						
20) Methylene Chloride	4.604	84	23368	6.745	ug/l	Qvalue 94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY070825\
Data File : VY022978.D
Acq On : 08 Jul 2025 16:13
Operator : SY/MD
Sample : Q2514-06
Misc : 3.74g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-103

Quant Time: Jul 09 02:33:35 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062325S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 24 08:29:52 2025
Response via : Initial Calibration

