

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY070825\
 Data File : VY022979.D
 Acq On : 08 Jul 2025 16:37
 Operator : SY/MD
 Sample : Q2514-07
 Misc : 6.55g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-36

Quant Time: Jul 09 02:33:56 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062325S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 24 08:29:52 2025
 Response via : Initial Calibration

Compound	R.T. QIon		Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	258321	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.609	114	491752	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	506681	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.340	152	226768	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	158166	54.859	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 109.720%	
35) Dibromofluoromethane	7.628	113	160004	53.502	ug/l	-0.01
Spiked Amount	50.000	Range	54 - 147	Recovery	= 107.000%	
50) Toluene-d8	10.103	98	623402	52.532	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	= 105.060%	
62) 4-Bromofluorobenzene	12.401	95	216738	56.814	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	= 113.620%	
Target Compounds						
					Qvalue	
20) Methylene Chloride	4.616	84	32393	9.413	ug/l	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY070825\
Data File : VY022979.D
Acq On : 08 Jul 2025 16:37
Operator : SY/MD
Sample : Q2514-07
Misc : 6.55g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-36

Quant Time: Jul 09 02:33:56 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062325S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 24 08:29:52 2025
Response via : Initial Calibration

