

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY070825\
 Data File : VY022980.D
 Acq On : 08 Jul 2025 17:00
 Operator : SY/MD
 Sample : Q2514-08
 Misc : 5.15g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-78

Quant Time: Jul 09 02:34:16 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062325S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 24 08:29:52 2025
 Response via : Initial Calibration

Compound	R.T. QIon		Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	255362	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	483185	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	487885	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	216806	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	155255	54.474	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 108.940%	
35) Dibromofluoromethane	7.628	113	151119	51.427	ug/l	-0.01
Spiked Amount	50.000	Range	54 - 147	Recovery	= 102.860%	
50) Toluene-d8	10.103	98	600761	51.522	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	= 103.040%	
62) 4-Bromofluorobenzene	12.401	95	211504	56.425	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	= 112.840%	
Target Compounds						
20) Methylene Chloride	4.610	84	22739	6.684	ug/l	Qvalue 94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY070825\
Data File : VY022980.D
Acq On : 08 Jul 2025 17:00
Operator : SY/MD
Sample : Q2514-08
Misc : 5.15g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-78

Quant Time: Jul 09 02:34:16 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062325S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 24 08:29:52 2025
Response via : Initial Calibration

