

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY071024\
 Data File : VY018759.D
 Acq On : 10 Jul 2024 11:06
 Operator : SY/MD
 Sample : VY0710SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :

Quant Time: Jul 11 02:19:52 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y070924S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 09 14:28:51 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	7.777	168	75135	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.679	114	133735	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	119766	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	47782	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.130	65	39712	53.713	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 107.420%	
35) Dibromofluoromethane	7.704	113	40654	48.536	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 97.080%	
50) Toluene-d8	10.173	98	151490	47.738	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	= 95.480%	
62) 4-Bromofluorobenzene	12.477	95	47699	44.014	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	= 88.020%	
Target Compounds						
					Qvalue	
11) Tert butyl alcohol	4.936	59	221	2.951	ug/l #	88
16) Acetone	3.954	43	502	3.683	ug/l #	36
20) Methylene Chloride	4.692	84	6682	4.099	ug/l #	88
31) Cyclohexane	7.783	56	1687	1.485	ug/l #	37
36) 1,1-Dichloropropene	7.777	75	6096	5.274	ug/l #	47
38) Carbon Tetrachloride	7.777	117	7655	5.498	ug/l #	17
51) 4-Methyl-2-Pentanone	10.173	43	661	1.354	ug/l #	1
76) 1,2,3-Trichloropropane	12.477	75	26366	70.453	ug/l #	100
81) trans-1,4-Dichloro-2-b...	12.477	75	26366	157.677	ug/l #	16


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY071024\
Data File : VY018759.D
Acq On : 10 Jul 2024 11:06
Operator : SY/MD
Sample : VY0710SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :


Quant Time: Jul 11 02:19:52 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y070924S.M
Quant Title : SW846 8260
QLast Update : Tue Jul 09 14:28:51 2024
Response via : Initial Calibration








#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.777 min Scan# 91
Delta R.T. -0.000 min
Lab File: VY018759.D
Acq: 10 Jul 2024 11:06

Instrument :
MSVOA_Y
ClientSampleId :







Tgt Ion:168 Resp: 75135
Ion Ratio Lower Upper
168 100
99 56.0 39.1 58.7



#11
Tert butyl alcohol
Concen: 2.951 ug/l
RT: 4.936 min Scan# 511
Delta R.T. -0.006 min
Lab File: VY018759.D
Acq: 10 Jul 2024 11:06

Tgt Ion: 59 Resp: 221
Ion Ratio Lower Upper
59 100
57 0.0 3.0 4.6#





#16

Acetone

Concen: 3.683 ug/l

RT: 3.954 min Scan# 3

Delta R.T. 0.018 min

Lab File: VY018759.D

Acq: 10 Jul 2024 11:06

Instrument :

MSVOA_Y





ClientSampleId :

Tgt Ion: 43 Resp: 502

Ion Ratio Lower Upper

43 100

58 0.0 31.7 47.5#



#20

Methylene Chloride

Concen: 4.099 ug/l

RT: 4.692 min Scan# 471

Delta R.T. -0.006 min

Lab File: VY018759.D

Acq: 10 Jul 2024 11:06

Tgt Ion: 84 Resp: 6682




Ion Ratio Lower Upper


84 100

49 117.5 84.4 126.6

51 34.9 26.0 39.0


86 49.4 49.5 74.3#








#31
Cyclohexane
Concen: 1.485 ug/l
RT: 7.783 min Scan# 91
Delta R.T. 0.012 min
Lab File: VY018759.D
Acq: 10 Jul 2024 11:06

Instrument :
MSVOA_Y
ClientSampleId :







Tgt Ion: 56 Resp: 1687
Ion Ratio Lower Upper
56 100
69 130.9 28.7 43.1#
84 71.2 77.7 116.5#



#33
1,2-Dichloroethane-d4
Concen: 53.713 ug/l
RT: 8.130 min Scan# 1035
Delta R.T. 0.000 min
Lab File: VY018759.D
Acq: 10 Jul 2024 11:06

Tgt Ion: 65 Resp: 39712
Ion Ratio Lower Upper
65 100
67 49.6 0.0 109.6





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.679 min Scan# 1125

Delta R.T. 0.000 min

Lab File: VY018759.D

Acq: 10 Jul 2024 11:06

Instrument :

MSVOA_Y

ClientSampleId :





Tgt Ion:114 Resp: 133735

Ion Ratio Lower Upper

114 100

63 18.0 0.0 35.0

88 14.8 0.0 27.2



#35

Dibromofluoromethane

Concen: 48.536 ug/l

RT: 7.704 min Scan# 965

Delta R.T. 0.000 min

Lab File: VY018759.D

Acq: 10 Jul 2024 11:06




Tgt Ion:113 Resp: 40654


Ion Ratio Lower Upper

113 100

111 104.2 82.2 123.4

192 19.8 15.9 23.9









#36
1,1-Dichloropropene
Concen: 5.274 ug/l
RT: 7.777 min Scan# 911
Delta R.T. -0.128 min
Lab File: VY018759.D
Acq: 10 Jul 2024 11:06




Instrument :
MSVOA_Y
ClientSampleId :


Tgt Ion: 75 Resp: 6096
Ion Ratio Lower Upper
75 100
110 8.3 19.0 57.0#
77 0.0 25.3 37.9#



#38
Carbon Tetrachloride
Concen: 5.498 ug/l
RT: 7.777 min Scan# 977
Delta R.T. -0.110 min
Lab File: VY018759.D
Acq: 10 Jul 2024 11:06

Tgt Ion: 117 Resp: 7655
Ion Ratio Lower Upper
117 100
119 5.5 75.8 113.6#
121 0.0 24.0 36.0#









#50
Toluene-d8
Concen: 47.738 ug/l
RT: 10.173 min Scan# 11
Delta R.T. 0.000 min
Lab File: VY018759.D
Acq: 10 Jul 2024 11:06




Instrument :
MSVOA_Y
ClientSampleId :


Tgt Ion: 98 Resp: 151490
Ion Ratio Lower Upper
98 100
100 64.7 52.0 78.0



#51
4-Methyl-2-Pentanone
Concen: 1.354 ug/l
RT: 10.173 min Scan# 1370
Delta R.T. 0.110 min
Lab File: VY018759.D
Acq: 10 Jul 2024 11:06

Tgt Ion: 43 Resp: 661
Ion Ratio Lower Upper
43 100
58 203.5 35.7 53.5#









#62
4-Bromofluorobenzene
Concen: 44.014 ug/l
RT: 12.477 min Scan# 11
Delta R.T. 0.000 min
Lab File: VY018759.D
Acq: 10 Jul 2024 11:06




Instrument :
MSVOA_Y
ClientSampleId :


Tgt Ion: 95 Resp: 47699
Ion Ratio Lower Upper
95 100
174 85.8 0.0 175.6
176 83.8 0.0 171.4



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.490 min Scan# 1586
Delta R.T. 0.006 min
Lab File: VY018759.D
Acq: 10 Jul 2024 11:06

Tgt Ion: 117 Resp: 119766
Ion Ratio Lower Upper
117 100
82 50.8 42.4 63.6
119 33.2 25.9 38.9









#72
 1,4-Dichlorobenzene-d4
 Concen: 50.000 ug/l
 RT: 13.422 min Scan# 1903
 Delta R.T. 0.000 min
 Lab File: VY018759.D
 Acq: 10 Jul 2024 11:06




Instrument :
 MSVOA_Y
 ClientSampleId :


Tgt Ion:152 Resp: 47782
 Ion Ratio Lower Upper
 152 100
 115 59.5 28.2 84.7
 150 159.5 0.0 345.6



#76
 1,2,3-Trichloropropane
 Concen: 70.453 ug/l
 RT: 12.477 min Scan# 1748
 Delta R.T. -0.153 min
 Lab File: VY018759.D
 Acq: 10 Jul 2024 11:06


Tgt Ion: 75 Resp: 26366
 Ion Ratio Lower Upper
 75 100
 77 0.9 0.0 0.0#





#81
 trans-1,4-Dichloro-2-butene
 Concen: 157.677 ug/l
 RT: 12.477 min Scan# 11
 Delta R.T. 0.104 min
 Lab File: VY018759.D
 Acq: 10 Jul 2024 11:06

Instrument :
 MSVOA_Y
 ClientSampleId :



Tgt Ion	Ratio	Lower	Upper
75	100		
53	0.0	66.8	100.2#
89	0.0	35.8	53.6#

