

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY071024\
 Data File : VY018770.D
 Acq On : 10 Jul 2024 16:37
 Operator : SY/MD
 Sample : P3187-07
 Misc : 5.42g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 WC-2-VOC

Quant Time: Jul 11 02:25:53 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y070924S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 09 14:28:51 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.777	168	68544	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	123617	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	112509	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	48620	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.130	65	38306	56.793	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	113.580%
35) Dibromofluoromethane	7.704	113	38729	50.022	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.040%
50) Toluene-d8	10.173	98	139871	47.684	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	95.360%
62) 4-Bromofluorobenzene	12.477	95	44802	44.725	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	89.440%
Target Compounds						
					Qvalue	
20) Methylene Chloride	4.704	84	10253	10.653	ug/l #	89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY071024\
Data File : VY018770.D
Acq On : 10 Jul 2024 16:37
Operator : SY/MD
Sample : P3187-07
Misc : 5.42g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
WC-2-VOC

Quant Time: Jul 11 02:25:53 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y070924S.M
Quant Title : SW846 8260
QLast Update : Tue Jul 09 14:28:51 2024
Response via : Initial Calibration

