

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY071825\
 Data File : VY023011.D
 Acq On : 18 Jul 2025 20:26
 Operator : SY/MD
 Sample : Q2639-07
 Misc : 4.49g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OU4-TS-41-071725

Quant Time: Jul 19 02:16:31 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y071825S.M
 Quant Title : SW846 8260
 QLast Update : Sat Jul 19 01:50:49 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	263133	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	479005	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	471769	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	212236	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	183651	68.944	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	137.880%
35) Dibromofluoromethane	7.634	113	156559	51.525	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	103.060%
50) Toluene-d8	10.103	98	586486	48.673	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	97.340%
62) 4-Bromofluorobenzene	12.401	95	206534	54.451	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	108.900%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY071825\
Data File : VY023011.D
Acq On : 18 Jul 2025 20:26
Operator : SY/MD
Sample : Q2639-07
Misc : 4.49g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OU4-TS-41-071725

Quant Time: Jul 19 02:16:31 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y071825S.M
Quant Title : SW846 8260
QLast Update : Sat Jul 19 01:50:49 2025
Response via : Initial Calibration

