

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY071825\
 Data File : VY023004.D
 Acq On : 18 Jul 2025 17:46
 Operator : SY/MD
 Sample : Q2638-07
 Misc : 4.27g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OU4-TS-34-071725

Quant Time: Jul 19 02:14:05 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y071825S.M
 Quant Title : SW846 8260
 QLast Update : Sat Jul 19 01:50:49 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	324576	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	577540	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	548487	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.340	152	238113	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	204686	62.294	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	124.580%
35) Dibromofluoromethane	7.634	113	184464	50.351	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.700%
50) Toluene-d8	10.103	98	693410	47.728	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	95.460%
62) 4-Bromofluorobenzene	12.401	95	244402	53.442	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	106.880%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY071825\
Data File : VY023004.D
Acq On : 18 Jul 2025 17:46
Operator : SY/MD
Sample : Q2638-07
Misc : 4.27g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OU4-TS-34-071725

Quant Time: Jul 19 02:14:05 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y071825S.M
Quant Title : SW846 8260
QLast Update : Sat Jul 19 01:50:49 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.707 min Scan# 982
Delta R.T. 0.000 min
Lab File: VY023004.D
Acq: 18 Jul 2025 17:46




Instrument :
MSVOA_Y
ClientSampleId :
OU4-TS-34-071725


Tgt Ion:168 Resp: 324576
Ion Ratio Lower Upper
168 100
99 55.7 44.4 66.6



#33
1,2-Dichloroethane-d4
Concen: 62.294 ug/l
RT: 8.061 min Scan# 1040
Delta R.T. -0.000 min
Lab File: VY023004.D
Acq: 18 Jul 2025 17:46

Tgt Ion: 65 Resp: 204686
Ion Ratio Lower Upper
65 100
67 53.5 0.0 107.4









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.616 min Scan# 1131
Delta R.T. -0.000 min
Lab File: VY023004.D
Acq: 18 Jul 2025 17:46




Instrument :
MSVOA_Y
ClientSampleId :
OU4-TS-34-071725


Tgt Ion:114 Resp: 577540
Ion Ratio Lower Upper
114 100
63 20.3 0.0 38.8
88 15.4 0.0 30.2



#35
Dibromofluoromethane
Concen: 50.351 ug/l
RT: 7.634 min Scan# 970
Delta R.T. -0.000 min
Lab File: VY023004.D
Acq: 18 Jul 2025 17:46

Tgt Ion:113 Resp: 184464
Ion Ratio Lower Upper
113 100
111 102.9 83.2 124.8
192 18.9 15.3 22.9









#50
Toluene-d8
Concen: 47.728 ug/l
RT: 10.103 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY023004.D
Acq: 18 Jul 2025 17:46




Instrument :
MSVOA_Y
ClientSampleId :
OU4-TS-34-071725


Tgt Ion: 98 Resp: 693410
Ion Ratio Lower Upper
98 100
100 64.3 52.2 78.2



#62
4-Bromofluorobenzene
Concen: 53.442 ug/l
RT: 12.401 min Scan# 1752
Delta R.T. -0.000 min
Lab File: VY023004.D
Acq: 18 Jul 2025 17:46

Tgt Ion: 95 Resp: 244402
Ion Ratio Lower Upper
95 100
174 83.0 0.0 170.8
176 80.6 0.0 163.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.414 min Scan# 117
Delta R.T. -0.000 min
Lab File: VY023004.D
Acq: 18 Jul 2025 17:46

Instrument :
MSVOA_Y
ClientSampleId :
OU4-TS-34-071725

Tgt Ion:117 Resp: 548487
Ion Ratio Lower Upper
117 100
82 57.1 44.3 66.5
119 32.0 25.8 38.8



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.340 min Scan# 1906
Delta R.T. -0.000 min
Lab File: VY023004.D
Acq: 18 Jul 2025 17:46

Tgt Ion:152 Resp: 238113
Ion Ratio Lower Upper
152 100
115 58.5 29.4 88.2
150 157.9 0.0 350.0

