

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY072125\
 Data File : VY023022.D
 Acq On : 21 Jul 2025 13:26
 Operator : SY/MD
 Sample : Q2639-11
 Misc : 4.71g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OU4-TS-43-071725

Quant Time: Jul 22 04:50:51 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y071825S.M
 Quant Title : SW846 8260
 QLast Update : Sat Jul 19 01:50:49 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	283323	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	535446	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	514282	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	206482	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.055	65	178844	62.355	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	124.700%
35) Dibromofluoromethane	7.634	113	173240	51.005	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	102.020%
50) Toluene-d8	10.103	98	650773	48.315	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	96.640%
62) 4-Bromofluorobenzene	12.401	95	216841	51.142	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	102.280%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY072125\
Data File : VY023022.D
Acq On : 21 Jul 2025 13:26
Operator : SY/MD
Sample : Q2639-11
Misc : 4.71g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OU4-TS-43-071725

Quant Time: Jul 22 04:50:51 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y071825S.M
Quant Title : SW846 8260
QLast Update : Sat Jul 19 01:50:49 2025
Response via : Initial Calibration

