

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY080824\
 Data File : VY018945.D
 Acq On : 08 Aug 2024 22:52
 Operator : SY/MD
 Sample : P3520-15
 Misc : 5.59g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OU4-VSL-01-080624

Quant Time: Aug 09 05:13:17 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080824S.M
 Quant Title : SW846 8260
 QLast Update : Fri Aug 09 04:24:33 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	7.701	168	87915	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.610	114	143578	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	119714	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.353	152	44481	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.055	65	38384	49.727	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	99.460%
35) Dibromofluoromethane	7.628	113	42934	46.819	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	93.640%
50) Toluene-d8	10.103	98	165414	46.962	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	93.920%
62) 4-Bromofluorobenzene	12.408	95	41954	40.148	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	80.300%
Target Compounds						
16) Acetone	3.867	43	1646	20.366	ug/l	Qvalue # 85

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY080824\
Data File : VY018945.D
Acq On : 08 Aug 2024 22:52
Operator : SY/MD
Sample : P3520-15
Misc : 5.59g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OU4-VSL-01-080624

Quant Time: Aug 09 05:13:17 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080824S.M
Quant Title : SW846 8260
QLast Update : Fri Aug 09 04:24:33 2024
Response via : Initial Calibration








#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.701 min Scan# 981
Delta R.T. 0.000 min
Lab File: VY018945.D
Acq: 08 Aug 2024 22:52




Instrument :
MSVOA_Y
ClientSampleId :
OU4-VSL-01-080624


Tgt Ion:168 Resp: 87915
Ion Ratio Lower Upper
168 100
99 47.9 39.1 58.7



#16
Acetone
Concen: 20.366 ug/l
RT: 3.867 min Scan# 352
Delta R.T. 0.012 min
Lab File: VY018945.D
Acq: 08 Aug 2024 22:52

Tgt Ion: 43 Resp: 1646
Ion Ratio Lower Upper
43 100
58 30.3 31.7 47.5#





#33

1,2-Dichloroethane-d4

Concen: 49.727 ug/l

RT: 8.055 min Scan# 1103

Delta R.T. 0.000 min

Lab File: VY018945.D

Acq: 08 Aug 2024 22:52

Instrument :

MSVOA_Y

ClientSampleId :





OU4-VSL-01-080624

Tgt Ion: 65 Resp: 38384

Ion Ratio Lower Upper

65 100

67 52.0 0.0 109.6



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.610 min Scan# 1130

Delta R.T. 0.000 min

Lab File: VY018945.D

Acq: 08 Aug 2024 22:52




Tgt Ion: 114 Resp: 143578


Ion Ratio Lower Upper

114 100

63 16.3 0.0 35.0

88 12.7 0.0 27.2









#35
Dibromofluoromethane
Concen: 46.819 ug/l
RT: 7.628 min Scan# 968
Delta R.T. 0.006 min
Lab File: VY018945.D
Acq: 08 Aug 2024 22:52




Instrument :
MSVOA_Y
ClientSampleId :
OU4-VSL-01-080624


Tgt Ion:113 Resp: 42934
Ion Ratio Lower Upper
113 100
111 103.2 82.2 123.4
192 21.0 15.9 23.9



#50
Toluene-d8
Concen: 46.962 ug/l
RT: 10.103 min Scan# 1375
Delta R.T. 0.000 min
Lab File: VY018945.D
Acq: 08 Aug 2024 22:52

Tgt Ion: 98 Resp: 165414
Ion Ratio Lower Upper
98 100
100 65.6 52.0 78.0









#62
4-Bromofluorobenzene
Concen: 40.148 ug/l
RT: 12.408 min Scan# 1753
Delta R.T. 0.000 min
Lab File: VY018945.D
Acq: 08 Aug 2024 22:52




Instrument :
MSVOA_Y
ClientSampleId :
OU4-VSL-01-080624


Tgt Ion:	95	Resp:	41954
Ion	Ratio	Lower	Upper
95	100		
174	101.8	0.0	175.6
176	96.4	0.0	171.4



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.420 min Scan# 1591
Delta R.T. 0.000 min
Lab File: VY018945.D
Acq: 08 Aug 2024 22:52

Tgt Ion:	117	Resp:	119714
Ion	Ratio	Lower	Upper
117	100		
82	47.9	42.4	63.6
119	30.5	25.9	38.9





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.353 min Scan# 1908

Delta R.T. 0.000 min

Lab File: VY018945.D


Acq: 08 Aug 2024 22:52

Instrument :

MSVOA_Y

ClientSampleId :

OU4-VSL-01-080624



Tgt Ion:152 Resp: 44481

Ion Ratio Lower Upper

152 100

115 53.6 28.2 84.7

150 153.5 0.0 345.6

