

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY080824\
 Data File : VY018946.D
 Acq On : 08 Aug 2024 23:16
 Operator : SY/MD
 Sample : P3518-01
 Misc : 4.23g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OU4-TS-01-080724

Quant Time: Aug 09 05:13:38 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080824S.M
 Quant Title : SW846 8260
 QLast Update : Fri Aug 09 04:24:33 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.701	168	84989	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.609	114	136844	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	103251	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.353	152	29892	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.055	65	37253	49.924	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	99.840%
35) Dibromofluoromethane	7.628	113	42346	48.451	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	96.900%
50) Toluene-d8	10.103	98	155968	46.459	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	92.920%
62) 4-Bromofluorobenzene	12.408	95	31139	31.265	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	62.520%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY080824\
Data File : VY018946.D
Acq On : 08 Aug 2024 23:16
Operator : SY/MD
Sample : P3518-01
Misc : 4.23g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OU4-TS-01-080724

Quant Time: Aug 09 05:13:38 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080824S.M
Quant Title : SW846 8260
QLast Update : Fri Aug 09 04:24:33 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.701 min Scan# 981
Delta R.T. 0.000 min
Lab File: VY018946.D
Acq: 08 Aug 2024 23:16




Instrument :
MSVOA_Y
ClientSampleId :
OU4-TS-01-080724


Tgt Ion:168 Resp: 84989
Ion Ratio Lower Upper
168 100
99 46.6 39.1 58.7



#33
1,2-Dichloroethane-d4
Concen: 49.924 ug/l
RT: 8.055 min Scan# 1039
Delta R.T. -0.000 min
Lab File: VY018946.D
Acq: 08 Aug 2024 23:16

Tgt Ion: 65 Resp: 37253
Ion Ratio Lower Upper
65 100
67 53.0 0.0 109.6









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.609 min Scan# 1130
Delta R.T. -0.000 min
Lab File: VY018946.D
Acq: 08 Aug 2024 23:16




Instrument :
MSVOA_Y
ClientSampleId :
OU4-TS-01-080724


Tgt Ion:114 Resp: 136844
Ion Ratio Lower Upper
114 100
63 15.8 0.0 35.0
88 12.3 0.0 27.2



#35
Dibromofluoromethane
Concen: 48.451 ug/l
RT: 7.628 min Scan# 969
Delta R.T. 0.006 min
Lab File: VY018946.D
Acq: 08 Aug 2024 23:16

Tgt Ion:113 Resp: 42346
Ion Ratio Lower Upper
113 100
111 100.7 82.2 123.4
192 20.0 15.9 23.9









#50
Toluene-d8
Concen: 46.459 ug/l
RT: 10.103 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY018946.D
Acq: 08 Aug 2024 23:16




Instrument :
MSVOA_Y
ClientSampleId :
OU4-TS-01-080724


Tgt Ion: 98 Resp: 155968
Ion Ratio Lower Upper
98 100
100 64.4 52.0 78.0



#62
4-Bromofluorobenzene
Concen: 31.265 ug/l
RT: 12.408 min Scan# 1753
Delta R.T. -0.000 min
Lab File: VY018946.D
Acq: 08 Aug 2024 23:16

Tgt Ion: 95 Resp: 31139
Ion Ratio Lower Upper
95 100
174 104.9 0.0 175.6
176 105.4 0.0 171.4









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.420 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY018946.D
Acq: 08 Aug 2024 23:16

Instrument :
MSVOA_Y
ClientSampleId :
OU4-TS-01-080724

Tgt Ion:117 Resp: 103251
Ion Ratio Lower Upper
117 100
82 45.2 42.4 63.6
119 32.7 25.9 38.9



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.353 min Scan# 1908
Delta R.T. -0.000 min
Lab File: VY018946.D
Acq: 08 Aug 2024 23:16

Tgt Ion:152 Resp: 29892
Ion Ratio Lower Upper
152 100
115 53.3 28.2 84.7
150 157.6 0.0 345.6

