

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081324\
 Data File : VY019040.D
 Acq On : 13 Aug 2024 19:37
 Operator : SY/MD
 Sample : P3548-06
 Misc : 5.02g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 343

Quant Time: Aug 14 01:42:01 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080824S.M
 Quant Title : SW846 8260
 QLast Update : Fri Aug 09 04:24:33 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.701	168	41035	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.603	114	70916	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	64071	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	25626	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.049	65	21400	59.398	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	118.800%
35) Dibromofluoromethane	7.616	113	22890	50.537	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	101.080%
50) Toluene-d8	10.103	98	84410	48.519	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	97.040%
62) 4-Bromofluorobenzene	12.408	95	21768	42.174	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	84.340%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081324\
Data File : VY019040.D
Acq On : 13 Aug 2024 19:37
Operator : SY/MD
Sample : P3548-06
Misc : 5.02g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
343

Quant Time: Aug 14 01:42:01 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080824S.M
Quant Title : SW846 8260
QLast Update : Fri Aug 09 04:24:33 2024
Response via : Initial Calibration

