

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081324\
 Data File : VY019033.D
 Acq On : 13 Aug 2024 16:44
 Operator : SY/MD
 Sample : P3519-19
 Misc : 6.70g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OU4-CF-02-080624

Quant Time: Aug 14 01:39:25 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080824S.M
 Quant Title : SW846 8260
 QLast Update : Fri Aug 09 04:24:33 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.701	168	57539	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.603	114	96322	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	86328	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	34244	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.049	65	27794	55.017	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	110.040%
35) Dibromofluoromethane	7.622	113	30764	50.007	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.020%
50) Toluene-d8	10.103	98	115399	48.836	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	97.680%
62) 4-Bromofluorobenzene	12.408	95	30735	43.841	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	87.680%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081324\
Data File : VY019033.D
Acq On : 13 Aug 2024 16:44
Operator : SY/MD
Sample : P3519-19
Misc : 6.70g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OU4-CF-02-080624

Quant Time: Aug 14 01:39:25 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080824S.M
Quant Title : SW846 8260
QLast Update : Fri Aug 09 04:24:33 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.701 min Scan# 981
Delta R.T. 0.000 min
Lab File: VY019033.D
Acq: 13 Aug 2024 16:44




Instrument :
MSVOA_Y
ClientSampleId :
OU4-CF-02-080624


Tgt Ion:168 Resp: 57539
Ion Ratio Lower Upper
168 100
99 47.1 39.1 58.7



#33
1,2-Dichloroethane-d4
Concen: 55.017 ug/l
RT: 8.049 min Scan# 1038
Delta R.T. -0.006 min
Lab File: VY019033.D
Acq: 13 Aug 2024 16:44

Tgt Ion: 65 Resp: 27794
Ion Ratio Lower Upper
65 100
67 53.0 0.0 109.6





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.603 min Scan# 1129

Delta R.T. -0.006 min

Lab File: VY019033.D

Acq: 13 Aug 2024 16:44

Instrument :

MSVOA_Y

ClientSampleId :

OU4-CF-02-080624





Tgt Ion:114 Resp: 96322

Ion Ratio Lower Upper

114 100

63 19.4 0.0 35.0

88 14.2 0.0 27.2



#35

Dibromofluoromethane

Concen: 50.007 ug/l

RT: 7.622 min Scan# 968

Delta R.T. -0.000 min

Lab File: VY019033.D

Acq: 13 Aug 2024 16:44




Tgt Ion:113 Resp: 30764


Ion Ratio Lower Upper

113 100

111 103.4 82.2 123.4

192 19.4 15.9 23.9









#50
Toluene-d8
Concen: 48.836 ug/l
RT: 10.103 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY019033.D
Acq: 13 Aug 2024 16:44




Instrument :
MSVOA_Y
ClientSampleId :
OU4-CF-02-080624


Tgt Ion: 98 Resp: 115399
Ion Ratio Lower Upper
98 100
100 66.3 52.0 78.0



#62
4-Bromofluorobenzene
Concen: 43.841 ug/l
RT: 12.408 min Scan# 1753
Delta R.T. -0.000 min
Lab File: VY019033.D
Acq: 13 Aug 2024 16:44

Tgt Ion: 95 Resp: 30735
Ion Ratio Lower Upper
95 100
174 104.4 0.0 175.6
176 100.5 0.0 171.4





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.414 min Scan# 11

Delta R.T. -0.006 min

Lab File: VY019033.D

Acq: 13 Aug 2024 16:44

Instrument :

MSVOA_Y

ClientSampleId :

OU4-CF-02-080624





Tgt Ion:117 Resp: 86328

Ion Ratio Lower Upper

117 100

82 46.8 42.4 63.6

119 30.2 25.9 38.9



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.346 min Scan# 1907

Delta R.T. -0.006 min

Lab File: VY019033.D

Acq: 13 Aug 2024 16:44

Tgt Ion:152 Resp: 34244

Ion Ratio Lower Upper

152 100

115 51.9 28.2 84.7

150 155.1 0.0 345.6

