

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081424\
 Data File : VY019067.D
 Acq On : 14 Aug 2024 18:44
 Operator : SY/MD
 Sample : P3600-03
 Misc : 6.92g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VCPS-B3-081324-0-2

Quant Time: Aug 14 21:49:56 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080824S.M
 Quant Title : SW846 8260
 QLast Update : Fri Aug 09 04:24:33 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.695	168	53708	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.603	114	92441	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	83590	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	34546	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.049	65	26455	56.102	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	112.200%
35) Dibromofluoromethane	7.622	113	30093	50.970	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	101.940%
50) Toluene-d8	10.103	98	109835	48.433	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	96.860%
62) 4-Bromofluorobenzene	12.402	95	29678	44.111	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	88.220%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081424\
Data File : VY019067.D
Acq On : 14 Aug 2024 18:44
Operator : SY/MD
Sample : P3600-03
Misc : 6.92g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VCPS-B3-081324-0-2

Quant Time: Aug 14 21:49:56 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080824S.M
Quant Title : SW846 8260
QLast Update : Fri Aug 09 04:24:33 2024
Response via : Initial Calibration

