

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081424\
 Data File : VY019068.D
 Acq On : 14 Aug 2024 19:09
 Operator : SY/MD
 Sample : P3600-05
 Misc : 5.18g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VCPS-B3-081324-16-18

Quant Time: Aug 14 21:50:15 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080824S.M
 Quant Title : SW846 8260
 QLast Update : Fri Aug 09 04:24:33 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.695	168	54269	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.603	114	89222	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	69529	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	22080	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.049	65	24500	51.419	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	102.840%
35) Dibromofluoromethane	7.622	113	28939	50.784	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	101.560%
50) Toluene-d8	10.103	98	104692	47.830	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	95.660%
62) 4-Bromofluorobenzene	12.402	95	20673	31.835	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	63.680%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081424\
Data File : VY019068.D
Acq On : 14 Aug 2024 19:09
Operator : SY/MD
Sample : P3600-05
Misc : 5.18g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VCPS-B3-081324-16-18

Quant Time: Aug 14 21:50:15 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080824S.M
Quant Title : SW846 8260
QLast Update : Fri Aug 09 04:24:33 2024
Response via : Initial Calibration

