

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081425\
 Data File : VY023085.D
 Acq On : 14 Aug 2025 10:50
 Operator : SY/MD
 Sample : VY0814SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0814SBL01

Quant Time: Aug 14 14:46:59 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	514218	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	1013413	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	885359	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	340788	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	283810	57.910	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	115.820%
35) Dibromofluoromethane	7.634	113	324298	53.480	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	106.960%
50) Toluene-d8	10.103	98	1256505	53.041	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	106.080%
62) 4-Bromofluorobenzene	12.402	95	343286	45.060	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	90.120%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081425\
Data File : VY023085.D
Acq On : 14 Aug 2025 10:50
Operator : SY/MD
Sample : VY0814SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0814SBL01

Quant Time: Aug 14 14:46:59 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration

