

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081425\
 Data File : VY023098.D
 Acq On : 14 Aug 2025 16:21
 Operator : SY/MD
 Sample : Q2857-03
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 72-12002

Quant Time: Aug 18 01:28:31 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	538820	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.609	114	1035752	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	949128	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.340	152	383990	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.055	65	330810	64.419	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	128.840%
35) Dibromofluoromethane	7.628	113	329536	53.171	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	106.340%
50) Toluene-d8	10.103	98	1268465	52.391	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	104.780%
62) 4-Bromofluorobenzene	12.401	95	383926	49.307	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	98.620%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081425\
Data File : VY023098.D
Acq On : 14 Aug 2025 16:21
Operator : SY/MD
Sample : Q2857-03
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
72-12002

Quant Time: Aug 18 01:28:31 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration

